

Home

About Potrans

Engineering Support

Vendor Managed Inventory

Request For Quotation (RFQ)

Sales Representatives

Contact Us




Potrans International Incorporated

Find A Sales Representative In Your Area



Select Region

Site Map















D@TRANS

Potrans International Incorporated

Home

About Potrans

Engineering Support

Vendor Managed Inventory


Request For Quotation (RFQ)

Sales Representatives

Contact Us




Chargers



At Potrans, we feel that most chargers and batteries have a unique chemistry. Charger solutions will often vary if you want to get the most efficient charge for the application maximize the life of the battery. From "dumb" to "smart" chargers. Potrans has the de

Site Map















Home

About Potrans

Engineering Support

Vendor Managed Inventory

Request For Quotation (RFQ)


Sales Representatives

Contact Us



Potrans International Incorporated


Power Supplies



Through the years Potrans has become an expert in power supply design and offers bot Switching and Linear power solutions for a wide spectrum of applications:

4

Site Map














Potrans International Incorporated

Contact Us



Need a quotation? Click Here

America



Potrans International Inc. (PII)

16591 Noyes Avenue Irvine, California 92606 Tel: 1-949-975-1222 Fax: 1-949-975-1390

Email: sales@usa.potrans.com

URL: www.potrans.com

China

Potrans Beijing Technologies Inc. (PBT)

1-A-4F of Huizhong Building, No.1 of Shangdi Qijie Shangdi, Haidian, Beijing 100085 P.R. China

Tel: 86-10-62988110



Fax: 86-10-62973959

Europe



Potrans Europe B.V. (PE)
Waldeck Pyrmontstraat 15
5652 AD. Eindhoven. The Netherlands
Tel: 31-40-266-1133
Fax: 31-40-266-1139
Email: sales@eu-potrans.nl

Print Page

TOP

© Potrans International Inc



About Us | Standard Power | Customized power | Power Search | News | Events 2006 | Contact

Standard power | Externals

The Powerbox power supplies are sold by Craftec and other certified distributors.

Sort products by...





BRU100

1000 - 2999W AC/DC

Single

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



DA25 - 60 Series

30 - 54W

AC/DC

Switch Mode Single

Externals Powerbox

+ Right click to save product datasheet (.pdf)



DA30 Series

30 - 54W

AC/DC

Switch Mode Single

Externals Powerbox

+ Right click to save product datasheet (.pdf)



DC60 Series

55 - 79W

DC/DC

Switch Mode Single

Externals

Powerbox

+ Right click to save product datasheet (.pdf)

DSA 0421S Series

20 - 29W

AC/DC

Switch Mode Single

Standard product inquiry

In order for us to assist you we need a few data.

- » Make your inquiry on-line
- » Contact a sales rep

Standard power

- » Modules
- » Externals
- » Open frame & Enclosed
- » Cassette
- » Laboratory



Powered applications

- » Industrial
- » Communications
- » Automotive / transport
- » Medical
- » Military

Custom design areas



Externals Powerbox

+ Right click to save product datasheet (.pdf)



DSA-0151Fxx Series

10 - 19W

AC/DC

Switch Mode Single



Externals Powerbox

+ Right click to save product datasheet (.pdf)



DSR-0051xx Series

0 - 9W

AC/DC

Switch Mode Single



Externals

Powerbox

+ Right click to save product datasheet (.pdf)



EBL06 Series

80 - 124W

AC/DC

AC/DC

Switch Mode Single



Externals

Powerbox

+ Right click to save product datasheet (.pdf)



EBx 30-110 Series

30 - 54 W 55 - 79 W

Switch Mode Single

Externals Powerbox 80 -124W

Dual Triple

Multi

+ Right click to save product datasheet (.pdf)



EBx 56 Series

55 - 79W

AC/DC

Switch Mode Single

Externals

Powerbox

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



EBx 60-130 Series

55 - 79 W

AC/DC

Switch Mode Single

Dual

80 -124W

Triple

- » Industrial
- » Communications
- » Automotive / transport
- » Medical
- » Military

Catalogues & Brochures

Please go to the catalogue and brochure section to download product catalogues or order the main Powerbox catalogue.

» Go to the download section

	+ Right click to save produc	ct datasheet (.p	df)		Multi
7	F1045 & F1050 Series	30 - 54W	AC/DC	Switch Mode	Singl
	Externals Powerbox + Right click to save produc	ct datasheet (.p	df)		
	F104X & F106X Series	30 - 54 W 55 - 79W	AC/DC	Switch Mode	Singl
The state of the s	Externals Powerbox + Right click to save produc		df)		
	F106X & F1072 Series	55 - 79W	AC/DC	Switch Mode	Singl
And the state of t	Externals Powerbox + Right click to save produc	t datasheet (.p	df)		
	F10903 Series Externals	80 - 124W	AC/DC	Switch Mode	Singl
	Powerbox + Right click to save produc	ct datasheet (.p	df)		
	F11203 Series	80 - 124W	AC/DC	Switch Mode	Singl
The state of the s	Externals Powerbox + Right click to save produc	t datasheet (.p	df)		
	F11503 Series	80 - 124W	AC/DC	Switch Mode	Singl
	Externals Powerbox + Right click to save produc	ct datasheet (.p	df)		
THE STREET S	F1760 Series	30 - 54W	AC/DC	Switch Mode	Dua



Powerbox

+ Right click to save product datasheet (.pdf)



F1960 Series

55 - 79W

AC/DC

Switch Mode Single

Externals Powerbox

+ Right click to save product datasheet (.pdf)



GPSU06 Series

0 - 9W

AC/DC Switch Mode Single

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



GSU06 Series

0 - 9W

AC/DC Switch Mode Single

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



JOD-SA Series

10 - 19W

AC/DC

Switch Mode Single

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



Linear adaptor series

0 - 9 W

AC/DC Linear Mode Single

Externals Powerbox 10 - 19 W 20 - 29 W

30 - 54W

+ Right click to save product datasheet (,pdf)



MPU50 Series

30 - 54W

AC/DC

Switch Mode Single

Externals Powerbox

+ Right click to save product datasheet (.pdf)

PMP55 Series

55 - 79W

AC/DC

Switch Mode Single



Externals Powerbox

+ Right click to save product datasheet (.pdf)



PUP120 Series

80 - 124W

AC/DC

Switch Mode Single



Powerbox

+ Right click to save product datasheet (.pdf)



RH Series

0 - 9 W 10 - 19 W AC/DC

Switch Mode Single

Externals Powerbox 20 - 29W

+ Right click to save product datasheet (.pdf)



SMP32 Series

10 - 19W

AC/DC

Switch Mode Single

Dual

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



SPU130 Series

80 - 124W

AC/DC

Switch Mode Single

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



SPU24 Series

20 - 29W

AC/DC

Switch Mode Single



Externals

Powerbox

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



SPU45E Series

30 - 54W

AC/DC

Switch Mode Single

Dual Triple

Multi

+ Right click to save product datasheet (.pdf)



SPU65 Series

55 - 79W

AC/DC

Switch Mode Single

Externals Powerbox

+ Right click to save product datasheet (.pdf)



TR100 Series

80 - 124W

AC/DC

Switch Mode Single

Externals Powerbox

+ Right click to save product datasheet (.pdf)



TR30R Series

20 - 29W

AC/DC

Switch Mode Single

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



TR36 Series

30 - 54W

AC/DC

Switch Mode Single

Externals

Powerbox

+ Right click to save product datasheet (.pdf)



TR70 Series

55 - 79W

AC/DC

Switch Mode Single

Externals

Powerbox

+ Right click to save product datasheet (.pdf)

About the website | Sitemap | Webmaster | © Powerbox 2006



About Us | Standard Power | Customized power | Power Search | News | Events 2006 | Contact

Sweden (headquarters)

Powerbox AB, Sales & Development Månskärsvägen 9 Sweden

Post address: Box 6030 141 06 Kungens Kurva Sweden

Phone: + 46 (0)8 50 526 500 Fax: + 46 (0)8 50 526 540 Email: info.se@powerbox.se

Powerbox AB, Central Services Västra Storgatan 22 Box 148 646 22 Gnesta Sweden

Phone: + 46 (0)158 703 00 (main switchboard)

Fax: + 46 (0)158 703 20 Email: info.se@powerbox.se

Australia

Powerbox Australia Pty Ltd 4 Beaumont Road Mounting Kuring-Gai NSW 2080 Australia

Phone: + 61 2 9457 2200 Fax: + 61 2 9457 2255





Email: sales@powerbox.com.au

Powerbox Australia Pty Ltd Unit 1 15 Nicole Close North Bayswater VIC 3153 Australia

Phone: + 61 3 9761 7797 Fax: + 61 3 9761 7789 Email: sales@powerbox.com.au

China

Powerbox Power Supply (Kunshan) CO., Ltd 215333 Huanlou Road Kunshan City Jiangsu Province China, 215333

Phone: + 86-512-57720011 Fax: + 86-512-57720119 Email: info.cn@Powerbox.info

Denmark

Powerbox A/S Kulsviervaenget 5 DK-2800 Lyngby

Phone: + 45 45 93 42 00 Fax: + 45 45 93 42 42 Email: info.dk@Powerbox.info

Finland

Powerbox OY Lemminkäisenkatu 20 FIN-20520 Turku Finland

Phone: + 35 8 2 273 6100 Fax: + 35 8 2 273 6120 Email: info.fi@Powerbox.info

France

Powerbox S.A.R.L. Immeuble Le Newton Bâtiment C 7 Mail Thimonnier 77 185 LOGNES France

Phone: + 33 (0)1 64 11 43 43 Phone: (toll free) 0810 810 607 Fax: + 33 (0)1 64 11 43 44 Email: info.fr@Powerbox.info

Germany

Powerbox Power Supply GmbH Postfach 12 01 65 59485 Soest Germany

Phone: + 49 (0)7229 1866-30 Fax: + 49 (0)7229 1866-33 Email: info.de@Powerbox.info

Italy

Powerbox Italia S.r.L Via Forlanini 52 IT-20043 ARCORE (MI) Italy

Phone: + 39 039 688 20 16 Fax: + 39 039 618 86 39 Email: info.lt@Powerbox.info

Israel

Proteus Distribution Ltd. 20, Ha'taas St., Bell House 44425 Kfar-Saba Bell-House Box #56 Israel

Phone: + 972-9-7676767 Fax: + 972-9-7650081 Email: info@proteus.co.il > www.proteus.co.il

Netherlands (the)

Powerbox BV (Benelux + Germany) Boschstraat 34 4811 GH Breda The Netherlands Post address: Powerbox Benelux BV 4801 BV Breda The Netherlands

Phone: + 31 76 501 58 56 Fax: + 31 76 501 58 17 Email: info.nl@Powerbox.info

New Zealand

Powerbox Pacific Ltd, N.Z P.O Box 479 Albany New Zeeland Phone: + 64 9 4158320 Fax: + 64 9 4159780

Email: info.nz@Powerbox.info

Norway

Powerbox A/S Grini Naeringspark 12 N-1361 Østerås Norway

Post address: Powerbox A/S P.O. Box 32

N-1306 Bærum Postterminal

Norway

Phone: + 47 67 16 44 00

Fax: + 47 67 16 44 01

Email: info.no@Powerbox.info

» Meet the Norwegian Powerbox crew

Singapore

Powerbox Ltd. Blk 5 Ang Mo Kio Ind Park 2A #06-04 AMK Tech II Singapore 567760

Phone: + 65 6483 9280 Fax: + 65 6556 4452

Email: info.sg@Powerbox.info

Spain

Powerbox S.A. Gran Via nº 8 - 10, 3º 3ª 08902 Hospitalet del Llobregat Barcelona Spain

Phone: + 34 93 2969080 Fax: + 34 93 2965850 Email: info.es@Powerbox.info

Powerbox S.A. Albacete 2, 2nd floor E-28027 Madrid Spain

Phone: + 34 91 32 604 36 Fax: + 34 91 32 604 96 Email: info.es@Powerbox.info

Sweden

Powerbox AB, Sales & Development Månskärsvägen 9 Sweden

Post address: Box 6030 141 06 Kungens Kurva Sweden

Phone: + 46 (0)8 50 526 500 Fax: + 46 (0)8 50 526 540 Email: info.se@powerbox.se

Powerbox AB, Central Services Västra Storgatan 22 Box 148 646 22 Gnesta Sweden

Phone: + 46 (0)158 703 00 (main switchboard)

Fax: + 46 (0)158 703 20 Email: info.se@powerbox.se

United Kingdom

Powerbox Ltd. 4/5 Knights Court, Magellan Close Walworth Ind. Estate, Andover Hampshire SP10 5NT United Kingdom

Phone: + 44 1264 337800 Fax: + 44 1264 334337 Email: sales@craftec.co.uk

U.S.A

Powerbox USA, Inc. 100 Technology Drive Suite 325-C Broomfield, CO 80021 United States

Phone: + 1 303 439 7220

Phone: (toll free) + 800 444 1461

Fax: + 1 303 439 7211 Email: info.us@powerbox.se

» www.powerboxusa.com» Contact a US rep

Power Designers

Where to buy? | Sitemap SEARCH: GO



Company News

8/28/2006

PowerDesigners' receives notice of allowance for its modular fast charger patent application....

and equalizers serving the

industrial battery market.

read more

New Tech Notes

New! Negative Pulse Charging Myths & Facts 2/15/2006

This tech note discusses the common myhths of negative pulse charging ...

read more

New! 60Hz Isolation Transformers: Myths and Facts

6/21/2005

This tech note covers the myths and facts of 60Hz transformer isolation ...

read more

Our Product Lines

SP Series,

PowerCharge" Battery Charger

A new line of high frequency fast and opportunity chargers for industrial forklift trucks and mobile equipment.

XP Series | IHF Series | TR Series | HV Series



Advanced industrial battery monitoring solutions for motive and battery systems.

SP Series | DT Series | MP Series



A revolutionary battery equalization device that greatly enhances battery life and performance.

read more





Member of:



Material Handling Industry of America

> **Battery Council** Unternational

Battery Council International

Power Design	9rs	Where to buy? Sitemap	SEARCH:	G0
Home tompany Contacts Locations	Products Services	Downloads Contacts		lication Notes
Contacts			INNOVATIVE Battery Man	agement Solutions
PowerDesigners LLC Corpo 931 E. Main St. Suite 4 Madison, WI 53703 USA	orate Headquarters:			
Ph.: +1.608.231.0450 Fax: +1.608.231.9979			Request Info	[=]
39000000000000000000000000000000000000	TO PRINTED ON TO THE THE PROPERTY OF THE PROPE		3000000000e	
We appreciate you contacting of your request in a timely m	Power Designers. Please fill out anner.	this form and we'll take care		
		ADMINISTRAÇÃO A SALA O		
Name*				
Organization*				
Street Address	All did did his windows schools required by the second recommendation of t	Legislichen Antonius ist in south and disconnection and disconnect		
City				
State/Province				
Zip/Postal Code				
Country	United States of America			
Work Phone*		and an annual and an annual and an annual annual and an annual annual and an annual annual annual annual annual		
Home Phone				
FAX				
E-mail*				
Classification*	End User			

Message*



Search

Applications

Products

Design Support

Green Solutions

Sales Info

Company Info





Power Integrations is the market leader in high-voltage analog integrated circuits for power conversion, providing cost-effective, energy-efficient solutions for AC-to-DC and DC-to-DC applications.

INNOVATION IN POWER CONVERSION









What's New?

Power Integrations has introduced *PeakSwitch*TM, the industry's first family of ICs for power supplies with peak-to-continuous power ratios of up to 3:1.

PeakSwitch is ideally suited for power supplies in applications such as printers, personal video recorders (PVRs), audio amplifiers, broadband modems and DC motor drives.

- · Read the press release.
- Visit the <u>PeakSwitch product family page</u>.

Recent Press Releases

Sep 12, 2006

Power Integrations To Receive National Energy-Efficiency Award Sep 6, 2006

Power Integrations Extends 2006 Design Seminars to Locations in the Americas and Europe

Aug 31, 2006

Power Integrations to Present at Citigroup Global Technology Conference

Aug 15, 2006

ITC Issues Final Determination in Favor of Power Integrations
Aug 9, 2006

Power Integrations to Present at RBC Global Technology Conference

Energy Efficiency Green Room



Energy efficiency regulations worldwide and Power Integrations EcoSmart® solutions.

View >>

Design Examples



Documents describing power supply circuits designed, built, and tested by Power Integrations application engineers using our power conversion ICs.

View >>

Data Sheets



Power Integrations product data sheets.

View >>

Technical Support



Technical support by Applications Engineering team.

View >>

EcoSmart®

More ::



Search

Applications

Products

Design Support

Green Solutions

Sales Info

Sales Info

Company Info



WW Sales Offices
WW Sales Reps/Dist

Power Integrations Worldwide Sales Support Locations



WORLD HEADQUARTERS

5245 Hellyer Avenue San Jose, CA 95138 USA (408) 414-9200 FAX: (408) 414-9201

E-mail: usasales@powerint.com

INDIA

261/A, Ground Floor
7th Main, 17th Cross,
Sadashivanagar
Bangalore, India 560080
+91-80-4113-8020
+91-80-4113-8028
FAX: +91-80-5113-8023
E-mail: indiasales@powerint.com

SINGAPORE

51 Newton Road #15-08/10 Goldhill Plaza Singapore, 308900 +65-6358-2160 FAX: +65-6358-2015

E-mail: singaporesales@powerint.com



Energy-Efficient Solutions



CHINA (Shanghai)

Room 807-808A
Pacheer Commercial Centre
555 Nanjing Road West
Shanghai, PRC 200041
(86) 21-6215-5548
FAX: (86) 21-6215-2468
E-mail: chinasales@powerint.com

ITALY

Via De Amicis 2

20091 Bresso MI Italy +39-028-928-6000 FAX: +39-028-928-6009 E-mail: eurosales@powerint.com

TAIWAN

5F, No. 318, Nei Hu. Rd., Sec. 1 Nei Hu Dist. Taipei, Taiwan 114, R.O.C. +886-2-2659-4570 FAX: +886-2-2659-4550

E-mail: taiwansales@powerint.com

CHINA (Shenzhen)

Rueckertstrasse 3

Room 2206-2207, Block A
Electronics Science & Technology
Bldg.
2070 Shennan Zhong Road
Shenzhen, Guangdong
China, 518031
(86) 755-8379-3243
FAX: (86) 755-8379-5828
E-mail: chinasales@powerint.com

GERMANY

ко

JAPAN

Keihin Tatemono 1st Bldg. 2- 12-20 Shin-Yokohama, Kohoku-ku Yokohama-shi, Kanagawa ken Japan 222-0033 81-45-471-1021 FAX: 81-45-471-3717 E-mail: japansales@powerint.com

KOREA

Room 602, 6th Floor

UNITED KINGDOM

Headquarters
1st Floor, St. James's House
East Street, Farnham
Surrey GU9 7TJ
United Kingdom
+44 (0) 1252-730-140
FAX: +44 (0) 1252-727-689
E-mail: eurosales@powerint.com

Europe, Middle East & Africa

D-80336, Munich Germany +49-89-5527-3910 FAX: +49-89-5527-3920 E-mail: eurosales@powerint.com Korea City Air Terminal B/D, 159-6 Samsung-Dong, Kangnam-Gu Seoul, 135-728, Korea + 82-2-2016-6610 FAX: + 82-2-2016-6630 E-mail: koreasales@powerint.com

Copyright 2006 Power Integrations. All rights reserved. Contact Webmaster. Terms of Use | Privacy Policy | Chinese | Japanese | Korean



RoHS Certificates & Updates

Home / About / Contacts / Investors / Newsroom / Tech Reference

Select Products

DC-DC Converters AC-DC Power Supplies Power Systems

Locate Inventory

Enter a Part Number

Select a Region 💌 📗

Get Assistance

Phone and Email Contacts

View Data Sheets, Applications Notes, Safety Certifications


DC-DC Converters AC-DC Power Supplies Power Systems

Site Search



Use asterisk for wildcard (PWER) 7.40 +0.49 As of 9/28/2006 2:30 EST

Download Company Profile
Download Investor Profile



2A Low Dropout Regulator

Manage Micrel's MIC68000 linear regulators with the Z-One Architecture (read more).

Aspiro Shelf System

3200 watt 1U shelf operates on 84 to 300VAC inputs (read more).

BLP30 Series

Compact 2" x 4" footprint with low profile 1U height (read more).

Get a New 2006 Product Catalog

Power-One Announces Acquisition of Magnetek's Power Electronics Group Forecasts Accretion in First Quarter of 2007 (read the press release)





Select Power Systems



rch ()



Select a Menu Above or Click Here to View a Summary of All Products

Admin | Resources | Universal Access | PATs | Z-Alliance © 2005 Power-One Copyright and Disclaimer

All information listed on this web site, to the best of Power-One's knowledge, was timely and accurate when written. Please note that you should not rely on the continued accuracy of any material beyond the date of issuance since the passage of time can render such information stale. All viewers should carefully check the dates of issuance of the material contained on this web site.

Web Site Design & Programming by TSI



RoHS Certificates & Updates

Home / About / Contacts / Investors / Newsroom / Tech Reference

Select Products

DC-DC Converters AC-DC Power Supplies Power Systems

Locate Inventory

Enter a Part Number

Select a Region 🕶

Get Assistance

Phone and Email Contacts

View Data Sheets, Applications Notes, Safety Certifications

DC-DC Converters AC-DC Power Supplies Power Systems

Site Search



Use asterisk for wildcard

Single Output AC-DC Products

- AC-DC Power Supplies Quick Links 🔻
- Unsigned outputs are isolated and can be used as + or polarities.
- Click on blue arrows to sort model list
- Some values are approximate due to rounding, some trim ranges are optional, please see data sheets for exact specifications.

BLP30-1005G	A Vin Range	Factory Set Vout	Vout Trim	Max Amps	Max Watts	Overall Dimensions
BLP30 Data Sheet	90 to 264 VAC	5	n/a	6	30	4 x 2.1 x 1.1 in
Distributor Inventory						101.6 x 53.3 x 27.9 mm
RoHS Cert-lead free solder						

	BLP30-1012G	Vin Range	Factory Set Vout	Vout Trim	Max Amps	Max Watts	Overall Dimensions
0	BLP30 Data Sheet	90 to 264 VAC	12	n/a	2.5	30	4 x 2.1 x 1.1 in
0	Distributor Inventory						101.6 x 53.3 x 27.9 mm
_	Matte Cart land from milder						

RoHS Cert- lead free solder

BLP Agency Approval

BLP Agency Approval

BLP30-1024G	Vin	Factory	Vout	Max	Max	Overall
	Range	Set Vout	Trim	Amps	Watts	Dimensions
BLP30 Data Sheet Distributor Inventory	90 to 264 VAC	24	n/a	1.2	30	4 x 2.1 x 1.1 in 101.6 x 53.3 x 27.9 mm

RoHS Cert-lead free solder

BLP Agency Approval

Found 3 items. Use the links below to navigate through the results, (currently on page 1 of 1)

page 1

NUCLEAR AND MEDICAL APPLICATIONS

Power-One products are not designed, intended for use in, or authorized for use as critical components in life support systems, equipment used in hazardous environments, or nuclear control systems without the express written consent of the respective divisional president of Power-One, Inc.

TECHNICAL REVISIONS

The appearance of products, including safety agency certifications pictured on labels, may change depending on the date manufactured. Specifications are subject to change without notice.



RoHS Certificates & Updates

Home / About / Contacts / Investors / Newsroom / Tech Reference

Select Products

DC-DC Converters
AC-DC Power Supplies
Power Systems

Locate Inventory

Enter a Part Number

Select a Region

©

Get Assistance

Phone and Email Contacts

View Data Sheets, Applications Notes, Safety Certifications

DC-DC Converters AC-DC Power Supplies Power Systems

Site Search



Use asterisk for wildcard

Contacts and Facility Locations

Customer Service and Tech Support	AC-DC Power Supplies and DC-DC Converters	Rectifiers, Controllers, and Battery Back-Up Systems
Asia/Pacific	86-755-26828811	86-755-26828811
Europe, Middle East, and Africa	+800-76937663	+800-76937663
The Americas and Caribbean Customer Service	805.987.8741	805.987.8742
The Americas and Caribbean Technical Support	805.987.8741	214.488.3500

Contact Email Forms

- Price and Delivery Form
- Order Catalog
- · Ask a Technical Product Question
- Website Related Questions
- Investor Relations
- Subscribe to Power-One Mailing List
- Product Returns

Facility Locations

Please select the Sales Offices link, located in the menu to the left, for sales contact information.

U.S. Offices

Facility information for the United States.

Americas International Offices

Facility information for Canada, Caribbean, Central and South America.

Asia / Pacific Offices

Facility information for Japan, Greater Asia, India, and Australia.

EMEA Offices

Facility information for Europe, Middle East and Africa.

NUCLEAR AND MEDICAL APPLICATIONS

Power-One products are not authorized for use as critical components in life support systems, equipment used in hazardous environments or nuclear control systems without the express written consent of the respective divisional President of Power-One, Inc.

TECHNICAL REVISIONS

The appearance of products, including safety agency certifications pictured on labels, may change depending on the date manufactured. Specifications are subject to change without notice.

Admin | Resources | Universal Access | PATs | Z-Alliance
© 2005 Power-One Copyright and Disclaimer

All information listed on this web site, to the best of Power-One's knowledge, was timely and accurate when written. Please note that you should not rely on the continued accuracy of any material beyond the date of issuance since the passage of time can render such information stale. All viewers should carefully check the dates of issuance of the material contained on this web site.

Web Site Design & Programming by TSI

Welcome to PowerStream





PowerStream is a Lund Instrument Engineering, Inc. Company.

Lasting Relationships are the ones that pay off.

PowerStream Technology is in the business of helping other companies develop products. Our engineers have many years of experience in a wide variety of fields. They have developed products from laser range finders to security switches. We now concentrate on helping other companies engineer their power needs--batteries, power supplies and dc to dc converters.

After all, it makes sense for you to concentrate on your special expertise and let us concentrate on ours.


We also carry many off-the-shelf products to help you quickly develop products. We specialize in custom, semi custom, and off-the-shelf power supplies, battery chargers, UPS and battery backups.

We not only engineer products, but we also manufacture products both in Utah and in China. This helps our customers and keeps us in lasting, long term relationships with both our customers and our factories.


New: Sale for B&B Sealed Lead Acid Batteries is still in progress!



New: Inexpensive Clamp-on DC



New: Ultra large lithium polymer cells and battery packs with safety boards and chargers!



NEW: Power Supply and Battery Blog

PowerStream Product Development Specialties:

- Custom and off-the shelf Power Supplies
- Custom and off-the-shelf Battery Chargers

- Custom UPS
- Batteries and Battery Packs

Power Supplies:

Battery Chargers:

⋄ Fast Custom Design

♦ Longer Battery Life

♦ Greater Efficiency

♦ Leading Edge Technology

♦ Agency Compliance


⋄ Faster Charge Time

♦ Universal Power Input ♦ Programmable Charge Methods

♦ Lower Production Cost ♦ Multibay Chargers

[Home] [PowerStream] [Site Map] [Tech Resources] [Policy and Privacy] [Contact Us]

PowerStream Technology: 140 South Mountainway Drive, Orem Utah, 84058 Phone: 801-764-9060 Fax: 801-764-9061



PowerStream Technology 140 South Mountainway Dr. Orem, UT 84058 Phone: 801-764-9060

Fax: 801-764-9061 Map & Directions

friends1@PowerStream.com

© Copyright 2000, 2002, 2003, 2004, 2005, 2006 Lund Instrument Engineering, Inc. All rights reserved





Battery Chargers



Specializing in the custom design and manufacturing of switching power supplies and intelligent battery chargers for OEMs in a hurry.

NiMH and NiCad Charger Index

A wide variety of chargers for packs and single cells.




Battery Back Up for Cars


This module charges an external battery and acts like a DC UPS to keep equipment running in a vehicle even when the vehicle power fails.



DC Input Lead Acid Battery
Chargers

These charge sealed lead acid, SLA, gel cell, and VRLA, or even flooded lead acid batteries from 12 volt or 24 volt cars, batteries, fork lifts, etc.





PowerStream has added a line of
standard chargers for the electric
mobility market. These chargers
charge sealed lead acid batteries
at high rates. They feature
 advanced charge algorithms for
long battery life as well as fast
charge. They use switching
power supplies, which makes the
charger smaller and lighter than
conventional supplies.



Medical use Sealed Lead acid Chargers

12 and 24 volt lead acid and

SLA chargers

IEC60601 chargers for 24 volt batteries 4, 6, and 8 amps output.




Bicycle and Scooter
Ultralight Chargers

These switching chargers are very small and light, and are designed for overnight charge. These are perfect as the charger that ships with the original bicycle, since they are small, inexpensive, and reduce shipping costs.




36 Volt Lead Acid Battery Chargers 36 volt switchmode chargers are suitable for lead acid, sealed lead acid, VRLA, and gel cell batteries.






High Power Lead Acid Chargers	12V, 24V, 36V and 48V chargers for lead acid, sealed lead acid, valve regulated lead acid batteries where high currents are required.	
Wheel Chair in-Car Chargers	High power 4-stage intelligent chargers for charging wheelchairs and scooters in your van or car.	
Multibay Chargers	We make multibay chargers for Lead Acid, NiMH, NiCad, and Lithium Ion batteries.	800000 A
Lithium Ion Coin Cell chargers	This off-the-shelf wall mount charger will charge the complete line of PowerStream lithium-ion coin cells	
PV System Charge Controllers	12 volt solar charge controllers for charging lead acid batteries with solar panels	
Custom Chargers	Our expertise covers various battery types including NiCad, NiMH, Lithium Ion, Nickel Zinc and Lead Acid batteries. This section discusses charging of the different battery chemistries.	




Lithium-Ion Battery Chargers	These microprocessor controlled unit for charging a 3 cell packs and 4 cell lithium-ion and lithium polymer battery packs.	
Remote Charging Boards	These microprocessor controlled board charge a 12 volt lead acid battery from a low voltage DC input that can range from 18 to 28 volts. This lets the charger be positioned at a remote battery while being powered with low voltage DC up to 1000 feet away.	
Smart Battery Charging and Safety Boards	These boards can communicate battery status to the system and also protect against overcharging, over discharging, over current, and over or undert temperature. Includes NiMH, NiCad and Lithium Ion protection and safety boards.	
<u>Ferroresonant</u> <u>Chargers</u>	For industries that need the absolute cheapest high current charger available for lead acid we have developed a quality ferroresonant charger in a metal screen frame package. This product is strictly for incorporation into original equipment.	
© Complete Removable Battery Pack and Charger Solution for OEMs and Designers, NiMH and NiCad	With this system a design engineer can include a removable battery pack in his system without paying for tooling.	



Stand-Alone Charger for Camcorder Batteries

This Smart Charger charges NiCad and NiMH battery packs compatible with Sony NP Series battery packs. AC and Automobile power sources included.





[Home] [PowerStream] [Site Map] [Tech Resources] [Policy and Privacy] [Contact Us]

PowerStream Technology: 140 South Mountainway Drive, Orem Utah, 84058 Phone: 801-764-9060, 9062, 9063, or 9064 ♦ Fax: 801-764-9061



PowerStream Technology

140 South Mountainway Dr.

Orem, UT 84058

Phone: 801-764-9060, 9062, 9063, or 9064

Fax: 801-764-9061 Map & Directions

© Copyright 2000, 2002, 2003, 2004, 2005 Lund Instrument Engineering, Inc. All rights reserved

This material is copyrighted original work. It is forbidden to use this information, text, or graphics in full or in part on another web site without written permission.








000

PowerStream

Specializing in the custom design and manufacturing of switching power supplies and intelligent battery chargers for OEMs in a hurry.

PowerStream specializes in the design and manufacture of custom power products. Many of these products have switching power supplies. We have developed a series of linear and switchmode power supply designs ranging from 1 watt to over 500 watts which we can incorporate into new power supplies. We also develop new circuits whenever needed to meet our customer's requirements. Wholesale power supplies and retail power supplies are available.


power ou	ppnos ax		No. 150, 150, 150, 150, 150, 150, 150, 150,	
	-	Laptop Computer Adapters	AC to DC Power supplies and cords for most makes and models of laptop computers	
12V	2000 mA	12 volt 2 amp medically approved power supply	Small switchmode power supply with 60601 approvals, ROHS and Energy Star	
3.3 V	4000 mA	3.3 Volt 4A desk top switchmode power supply	3.3 volt 13.2 watt power supply in a small switchmode	




a Hurry					• Accessor American Control Control	
3V, 3.3V, 5V, 6V, 6.5V, 7V, 8.4V	15 Watts	Switchmode 15 Watt Power Supplies with adjustable output	These compact DC switchmode power adapters have well regulated useradjustable output 3, 3.3, 5, 6, 6.5, 7, and 8.4 volts PST-AC1898			
12V	4A	12 Volt, 50 Watt Switching Power Supply	Inexpensive 12 volt switching AC to DC power supply with 4.1 amp output, 5 amps surge, IEC input connector for universal input. PST-1245			
36V	3A	36 VDC, 100 watt power supply	This lightweight 100 watt power supply delivers 36 volts at 3 amps.			
12V, 15V, 16V, 18V, 19V, 20V, 21V, 22V or 24V	90 Watt	90 Watt Adjustable AC/ DC Converters output 12 to 21 volts	User adjustable 12 to 21 volt switchmode AC power supply, 90 watts includes 5 plug adapters and a European wall adapter PST-AC0407			

6V 12V 24V	36W and 72W		Available in 6 volts, 12 volts, and 24 volts output. Universal switchmode AC power supply 35 to 70 watts. DIN mount with screw terminal input and output. PST-SP12		
9V	1.3 A	9 VDC 12 Watt Switching Power Supplies	Miniature wall mount 9 volt 1.3 Amp power supply		
5V	0.5A	Switchmode 5 Volt 0.5A wall mount power supply	This 5V 500 mA watt power supply is in a slimline wall mount package		
5V	2 A	Switching 10 Watt, 5 VDC Power Supplies	Fixed 5.0 volts output, 2000 mA tiny desktop AC/DC converter with universal input. PST-AC-0520		

15V	8 A	Switchmode 15 Volt, 8 Amp, 120 Watt Power Supply	15 volt fixed output power supplies with two prong IEC AC connector and 5.5mm x 2.1mm barrel connector PST-AC-1580	
12V	2.5A	Switching 40 Watt, 12 VDC Power Supplies	Wall-mount Regulated 12VDC at up to 2500 mA, with folding AC prongs PST-AC1225	
		Switchmode PowerAdapter for Digital Cameras	This adjustable wall-mount power adapter fits over 90 different digital cameras. PST-1898	
9V	1.8A	9 VDC 16 Watt Switching Power Supplies	Wall-mount Regulated 9VDC at up to 1800 mA, with folding AC prongs PST-AC2809	
24V	500 mA	24 Volt 0.5A wall mount switchmode power supply	This 12 watt power supply is in a slimline wall mount package	





	DC UPS Power Supply Board	Universal AC Input, battery backup, multioutput power supply board PST-DCUPS-30	2	
	DC Input ATX Style Computer Power Supplies	For running a computer from a DC Bus or Battery, 24 volt and 48 volt input models.		
	<u>Inverters</u>	Inverters convert DC to AC, we have inverters from 75 watt to 2500 watt, some including battery chargers and battery testers.		
-	48 Volt Power Supplies and DC/ DC Converters	DC/DC Converters, wall mount power supplies, power over ethernet, and battery backup products for 48 volt systems.		
	12 Volt Power Supplies and DC/ DC Converter Catalog	DC/DC Converters, wall mount power supplies, power over ethernet, and battery backup products for 12volt systems		

[Home] [PowerStream] [Site Map] [Tech Resources]
[Policy and Privacy] [Contact Us]



PowerStream Contact Us



Phone 801-764-9060

friends1@PowerStream.com

To receive announcements of new products and specials please enter your e-mail address here.

To unsubscribe enter your e-mail address here:



PowerStream's Privacy Policy


Custom design and manufacture of state-of-the-art battery chargers, UPS, and power supplies


Orem, Utah Location



140 South Mountainway Dr., Orem, UT 84058 Phone: 801-764-9060, 9062, 9063, 9064 Fax: 801-764-9061







Directions for driving to PowerStream from the Salt Lake City Airport. Before leaving the rental counter get current instructions on how to get to I215 South. Follow I215 until you get to I15 South. Continue South (30 miles) until you reach the Orem Center Street Exit. Turn right (West) and take the first left (South) onto Mountainway Drive. PowerStream is about a block down the street on the right hand side (West).

> [Home] [PowerStream] [Site Map] [Tech Resources] [Policies and Privacy] [Contact Us]

PowerStream Technologies: 140 South Mountainway Dr. Orem Utah 84058 Phone: 801-764-9060, 9062, 9063, 9064 Fax: 801-764-9061

friends1@PowerStream.com


PowerStream Technology 140 South Mountainway Dr. Orem, UT 84058

Phone: 801-764-9060, 9062, 9063, 9064

Fax: 801-764-9061 Map & Directions

© Copyright 2000, 2002, 2003, 2004, 2005, 2006 Lund Instrument Engineering, Inc. All rights reserved

This material is copyrighted original work. It is forbidden to use this information, text, or graphics in full or in part on another web site without written permission.



http://www.powerstream.com/ (3 of 3)9/28/2006 3:24:55 PM





LOGOUT | Online Catalog | Search | Quick Purchase | About Us | Contact Us | Literature Request | Assistance | Check Out | 崖 (1)

Return to Online Catalog

RediPulse Charge/ Maintenance System

Part Number

Description

Availability

735X260 RP-6-12



More

In Stock!

Buy Now



RediPulse 6-12

Charges and maintains 6- and 12-volt batteries used in regularly stored vehicles and equipment. It's the only trickle charger that improves battery condition without overcharging. Includes ac adapter with both lugs and clips for easy installation.

Price: 1-9, \$60.95; 10-up, \$57.90

735X280



More

In Stock!

BTRY Now

RediPulse 36-48

Charge and maintain heavy-duty 36- or 48-volt battery systems on stored vehicles and. Next-generation trickle charger with ac adapter and lugs.

Price: 1-9, \$73.95; 10-up, \$70.25

Your shopping cart has 1 item(s) Click on Catalog Number link to change quantity or remove item

Catalog **Extended** Description Qty Price Number 735X150 24-Volt Solargizer \$219.95 \$219.95 Sub-Total \$219.95 *Indicates Special Shipping required

Cifeck Out

© 2005 by PulseTech Products Corporation



About PulseTech



For over twelve years
PulseTech has been
helping individuals,
companies, fleets and the
military worldwide ensure
maximum battery
performance and
dramatically reduce
battery-related expenses.
And now we want to do the
same for you.

Find out more about PulseTech and our products today by gpigj to our <u>Product Catalog</u>. You can also visit your your local <u>PulseTech dealer</u>. To contact us by phone, mail or e-mail, please use the information below:

CORPORATE OFFICES:

Toll-free in the U.S. & Canada: 1-800-580-7554

Local & International: 817-329-6099

FAX: 817-329-5914

Main E-Mail: PPC@pulsetech.net

PulseTech Products Corporation 1100 South Kimball Avenue Southlake, Texas 76092 USA

You can also e-mail one of our Commercial or Military representatives directly (business-related questions only):

COMMERCIAL SALES:

Mike Donaldson

Brad Anderson

Manager -- Commercial & Federal Fleet Programs

OEM & Fleet Programsr

Rick Gregory
Business Development

Business Developmer Manager

MILITARY & GOVERNMENT SALES:

Mark Witt

Mark Abelson

Vice President -- Military

Director of Military Programs

Programs

Roy Johnson

Field Support -

Govt/Military Programs

MARKETING COMMUNICATIONS:

Kevin Hosey

Marketing Communications Manager

Public Relations & Media

Web Master

MEDIA & PRESS INFORMATION

Members of the media can find press releases, product photos and other information in the Media/Press section.





🦫 HOME 🖫 NEWS 🍜 TRADE & FAIR 🍜 NEWSLETTER 🐉 USEFUL LINKS 🎏 SITE MAP 🛣 search..


GO

THE COMPANY

INNOVATION, QUALITY & RELIABILITY **PRODUCTS**

APPLICATIONS

CONTACTS & SALES



News



15/10/2006 ROAL Electronics exhibit at Electronica 2006 - Please visit us at the Halle B2 -Booth B311 READ

Digital Power Communication



RHPS224 12V 1200W or 48V 1500W 1Ux2U Front-End Power Supplies




The use of Digital Control Techniques and Digital Power Management in power converters are the latest technical ROAL's advancements.

Precision, flexibility, scalability, efficiency, miniaturization, cost-effective solutions, communication, data storage, self-test or diagnostic capability, dynamic manipulation of controlled parameters,...

CUSTOMER AREA







A leader in Power Supply Market



ROAL Electronics is a leader in the Power Supply Market and in Power Electronics Technology, focused on the design, production and support of standard, custom and semi-custom Switch Mode Power Supplies (AC/DC, DC/DC). READ









© ROAL Electronics S.p.A | All rights reserved | P.IVA 02085400428 |

W3C XHTML 1.0 Developed by Capolinea.it





> HOME > NEWS > TRADE & FAIR > NEWSLETTER > USEFUL LINKS > SITE MAP > search..

GO

THE COMPANY

INNOVATION, QUALITY & RELIABILITY

PRODUCTS

APPLICATIONS

CONTACTS & SALES

➢ AC/DC Power Supplies

MODEL	OUTPUT POWER	DESCRIPTION	DATA SHEET
RHPS224		12V 1200W 1Ux2U Front-End Power Supply	"* download
HPS224A		48V 1500W 1Ux2U Front-End Power Supply	्र download
HPS225	6000 W	12V 1.2-6KW 1U N+1 Rack System	** download
RHPS225A		48V 1.5-7.5KW 1U N+1 Rack System	" download

Single Output	Power Supplies		
MODEL	OUTPUT POWER	DESCRIPTION	DATA SHEET
RHPS232A	500 W	12V DIGITAL SMPS for Test & Measurement Equipments, IT Equipments & Networking	~ download
RHPS232B	500 W	24V DIGITAL SMPS for Test & Measurement Equipments & Industrial Equipments	(** download
RHPS232C	500 W	48V DIGITAL SMPS for ITC Equipments	Nacional P. Commond
RHPS236	500 W	12V DIGITAL SMPS for Test & Measurement Equipments, Industrial Equipments, ITC Equipments	** download
RHPS236A	500 W	24V DIGITAL SMPS for Test & Measurement Equipments, Industrial Equipments	. € download
RHPS236B	500 W	48V DIGITAL SMPS for ITC Equipments	Dsolowob 😢
PS190	1008 W	12V SMPS for Outdoor Video LED Display	's downtoad
PS190A	1008 W	24V SMPS for Outdoor Video LED Display	Section 10 at

Multi Output F	Power Supplies		
MODEL	OUTPUT POWER	DESCRIPTION	DATA SHEET
PS126	150 W	SMPS for Automatic Teller Machines (ATMs) & Self Service Terminals (SSTs)	
PS114A	190 W	SMPS for Automatic Teller Machines (ATMs) & Self Service Terminals (SSTs)	% download
PS180	200 W	DIGITAL Constant Current SMPS for LED Light Entertainment	** download
RHPS232D	450 W	DIGITAL SMPS for Test & Measurement Equipments, IT Equipments & Networking	್ download
PS159	485 W	Programmable SMPS for Data Storage Systems	bsolnwoo 🥙
PS150	490 W	SMPS for Hard Disk Drives	Peolithia A
PS158	550 W	Programmable SMPS for Data Storage Systems	bsolowob 💝
RHPS200	650 W	SMPS for Industrial, Test & Measurement Equipments, IT Equipments	** download
RHPS231	776 W	SMPS for Industrial, Test & Measurement Equipments, IT Equipments	(V. dov. nad
RHPS160	800 W	SMPS for Video LED Display	~r downlo≥d
RHPS160A	800 W	SMPS for Video LED Display	* covering d
PS154	- 1230 W	Programmable SMPS for IT & Networking Systems	V download

Rectifiers			
MODEL	OUTPUT POWER	DESCRIPTION	DATA SHEET
PS156	820 W	High Efficiency Telecom Rectifier	** download
PS164A	2000 W	54V High Power Density DIGITAL Rectifier	∵ download
	a reason and a second of the s		

Battery Char	gers		
MODEL	OUTPUT POWER	DESCRIPTION	DATA SHEET
PS185C	156 W	12V Gel/Electrolytic Switch Mode Battery Charger	** download
P5186C	312 W	24V Gel/Electrolytic Switch Mode Battery Charger	** download
PS186A	325 W	12V Gel/Electrolytic Switch Mode Battery Charger	** download
PS187C	500 W	12V DIGITAL Gel/Electrolytic Switch Mode Battery Charger	₹ dawnload

PS188A	650 W	24V DIGITAL Gel/Electrolytic Switch Mode Battery Charger	** download
PS188C	700 W	12V DIGITAL Gel/Electrolytic Switch Mode Battery Charger	beelnweta⊻
PS184	1100 W	12V DIGITAL Gel/Electrolytic Switch Mode Battery Charger	** download
PS184C	2000 W	24V DIGITAL Gel/Electrolytic Switch Mode Battery Charger	's download

e"e TOP

W3C XHTML 1.0 Developed by Capolinea.it

[©] ROAL Electronics S.p.A | All rights reserved | P.IVA 02085400428 |






\$ HOME \$ NEWS \$ TRADE & FAIR \$ NEWSLETTER \$ USEFUL LINKS \$ SITE MAP * search.. | GO

THE COMPANY

INNOVATION, QUALITY & RELIABILITY PRODUCTS

APPLICATIONS

CONTACTS & SALES



Headquarters

ROAL Electronics S.p.A. Via Jesina 56/A 60022 Castelfidardo (AN) - ITALY

Phone: +39 071-721461 Fax: +39 071-72146539 info@roalelectronics.com

USA Sales Office

ROAL Electronics USA Inc.

1801 Avenue of the Stars, Suite 1205 Los Angeles, CA 90067 - USA

Phone: +1 (507) 358-4579 Fax: +1 (309) 422-3252 sales@us.roalelectronics.com



> How to Reach the headquarters


By Car:

A14/E55 Highway - exit Ancona Sud/Osimo SS16 Road to Castelfidardo Industrial Zone Cerretano

By Plane:

Ryobi Tools :: One+ Tools Page 1 of 1





RYOBI is a registered trademark of Ryobi Limited and is used by One World pursuant to a license granted by Ryobi Limited.

Ryobi One+:: P110 18V 1-Hour Charger

Page 1 of 1

RYOBI ONE + Batteries & Chargers






18V 1-Hour Charger

Here's the electrical "fueling station" for your Ryol Cordless Tool System. Our P110 Charger works w Ryobi® 18v rechargeable batteries, charges them and lets you quickly check the status of each battsystem.

P110 manual | Parts | Buy It Now »



RYOBI is a registered trademark of Ryobi Limited and is used by One World pursuant to a license granted by Ryobi Limited.



Ryobi

As one of the world's largest and most innovative home improvement equipment brands, Ryobi® specialises in making pro-featured power tools and outdoor power equipment at truly affordable prices.

That's why Ryobi® is the brand of choice for millions of home improvement enthusiasts, woodworkers, craftspeople, and value-conscious contractors worldwide. Today, Ryobi® offers more pro-featured, affordably priced power tools and outdoor power equipment than ever.

Ryobi® is proud to sell its power tools and outdoor power equipment exclusively at The Home Depot® in North America, and through leading reputable retailers globally. Ryobi's product range consists of AC/DC portable & bench top power tools, and AC/DC & Gas out door power equipment.

Ryobi® has built a reputation by manufacturing quality products that increase consumers' purchasing power and expand their capabilities.

Please visit our international Ryobi® websites.

North America

www.ryobitools.com

France

www.ryobi-europe.com

Germany

www.ryobi-powertools.de

United Kingdom

www.ryobipower.co.uk


Australia



www.ryobi.com.au

New Zealand

www.ryobi.co.nz





Our company	Our business	Investor relations		
Operating philosophy	Our brands	News & information	Vacancies	Directory
Milestones	Manufacturing	Financial bighlights	Community	Visiting as
Management profile	Product development	Share information		
		Corporate governance		

Printer friendly

Sitemap | Privacy & Legal | Home

Originally printed from the TTI website on 7/11/2006



Visiting us

Please click on the operation you wish to visit to view the location map.

We wish you a safe journey and look forward to seeing

you. ´

For other operations please visit our **Directory**.

Hong Kong Head Quarters China Techtronic Industries Factory China Techtronic Appliances Factory 1 China Techtronic Appliances Factory 2 Gimelli Laboratories Co Ltd SolarWide Assembly Factory



Corporate Contacts

☑ Contact Investors

☑ Contact Press

Corporate Profile

Mission Statement

Message from the Chairman

Management Board

Supervisory Board

Investor Centre

- Half year results 2006 presentation
- 2006 interim report
- Annual Report 2005

Key Figures
Share Price
Shareholder Information
Documentation
Financial Calendar
Mailing List
Contact
FAQ & Glossary

Press Office

- October 20th, 06 Saft signs a 4 year contract with the French Army to provide primary lithium batteries
- October 18, 2006 Optus D1 Communications Satellite Launched with Saft's Proven Lithium-Ion Technology.
- October 16, 2006 Koreasat 5
 GEO hybrid civil and military communications satellite is powered by Saft Li-ion batteries
- September 21, 2006 Johnson Controls-Saft Joint Venture to built lithium-ion battery manufacturing facility in Nersac, France
- September 21, 2006 Saft Groupe SA reports 2006 first half earnings
- September 12th, 2006 Saft Ni-MH integrated battery systems on board Alstom's new AGV very high speed trains
- September 5, 2006 Johnson Controls-Saft Joint Venture awarded program for lithium-ion hybrid vehicle batteries

- September 5, 2006 Saft supplies Li-ion batteries for an advanced photovoltaic energy storage project in Guadeloup
- August 29, 2006 Saft rechargeable Ni-Cd batteries help Norway's Utsira Island community to become renewable energy selfsufficient

Corporate Press Releases

Business Press Releases

Site map | Legal notice | SAFT © 2005



Home

Environment

Quality

NEWS * CONTACT * SITE MAP

LITHIUM TECHNOLOGIES

SEARCH

OΚ



Nickel

LS/LST

Lithium LSX series Silver LSH series

MARKET SEGMENT PS 30A

TECHNOLOGY

Aviation

 Building & **Industrial plants**

Marine

Medical

Military & Defence/G series

 Professional electronics

Rail & Mass Transit

Road

Transportation

Space

■ Telecommunication

LM series

Lithium-thionyl chloride (Li-SOCl₂)

Radio-communications, emergency and security systems, tollgates, meters, tracking and localization, military applications

Lithium-sulfur dioxide (Li-SO₂)

Radio-communication, emergency and security systems, meters, unmanned vehicles, military applications

Lithium-manganese dioxide (Li-MnO₂)

Radio-communications, memory back-up, military applications

Lithium-ion (Li-ion)

Space Lithium series

Satellites and launchers

Intensium range

Cellular telecommunication networks

MP / VL series

Radio-communication, handheld terminals, medical equipment, power tools, unmanned vehicles, military applications, space launchers,

missiles

VL45 E cell

Electric and hybrid vehicles, Telecommunication networks, Space and Defence, Any application requiring high energy storage capability

VLE module

Electric and hybrid vehicles, Telecommunication networks, Space and

Defence, Any application requiring high energy storage capability

lithium batteries : lithium ion batteries, lithium battery

VLM series

Electric and hybrid vehicles, Telecommunication networks, Space and Defence, Any application requiring an optimal balance between high

power and high energy

VLP series

High power hybrid vehicles, Any application requiring very high pulse

power capability

http://www.saftbatteries.com/120-Techno/20-10_Lithium_system.asp

οк



Home Environment Quality NEWS - CONTACT - SITE MAP

NICKEL TECHNOLOGIES

TECHNOLOGY

NICKEL-CADMIUM (Ni-Cd)

- Nickel
- Lithium

Small Ni-Cd Batteries

Silver

VR series (Standard range)
MARKET SEGMENTE series (Standard range)

Aviation

Building & VT series

Industrial plants(High temperature range)

Marine

▶ Medical
 ▼E series
 ▼Medical

• Medicai VSE series
• Military & Defen¢eigh energy range)

Professional electronics

IICS Large Ni-Cd Batteries

Rail & Mass Transit

Road Transportation

SBL, SBM, SBH series

Space

Ultra low maintenance range: Ultima SLM series

∗ Telecommunicatஞ்ஷ series

SPL series

Cycling applications

lighting, medical, professional electronics, power tools, home appliances...

Permanent charge applications

stand by, back-up, emergency lighting...

Energy and high power applications

medical, professional electronics, telecommunications...

Stationary applications

electricity and general industries, water, oil & gas industry, buildings,

hospitals, airports, boats, road & rail infrastructure

Sunica.plus (Solar & wind power range)

MRX series SRX series SRM series

on-board applications

SCH S, SCM S series

NCX series Ultima.plus Rail applications

Rail & Mass Transit

Telecom networks

VO, VP, VHP, CVH, VXP, CVD, CVK

(main batteries)

Aircraft & Helicopters

STM series

All-electric vehicles: buses, trucks, compact cars, minivans,

scooters, boats...

STH series

All-hybrid vehicles: buses, trolleys, tramways, trucks...

VOS series

Satellites

NICKEL-HYDROGEN (Ni-H₂)

AN series

Satellites

NICKEL-METAL HYDRIDE (NI-MH)

VH series

Energy and high power applications

(professional electronics, mobility, medical, power tools.)

NHE (High Energy range)

Energy applications for all-electric vehicles, rail and mass transit

equipment, telecom central offices, offshore installations...

NHP (High Power range)

Hybrid applications: vehicles, buses, trucks, boats and

Railway applications: hybrid tramways.

Ni-MH 30 Ah battery system


Telecom networks: distributed power in Subscriber Loops Cabinets

SLC

SAFT: The Battery Company

	Hame Environment Quality	NEWS - CONTROT - SITE MAP	ј ок
		ontact	***************************************
Saft.			
TECHNOLOG	Υ		
Nickel	■ Saft Headquarters		
Lithium			
Silver	12, rue Sadi Carnot		
MARKET SEGM	93170 BAGNOLET - France EN T el.: +33 (0)1 49 93 19 18	■ <u>Quality</u> ■ Environment	
Aviation	Fax: +33 (0)1 49 93 19 50	Human resources	
 Building & Industrial plan 	ts Saft headquarters acces map	■ <u>Webmaster</u>	
Marine			
Medical	■ Commercial or technical contacts		
Military & Defe			
Professional	Main Aircraft batteries:	■ Space & Defence applications:	
electronics	Saft contact	General contact (Saft headquarters)	
	ansitDistributors for civil market	Saft America contact for space applications	
Road Transportation	🛮 Li-ion batteries:	Portable rechargeable battery systems:	
Space	MP series	VR, VRE, VT, VE, VSE ans VH series	
Telecommunica	ation <u>VL45 E cell, VLE module, VLM and VLP series</u>	■ Stationary & Telecom networks:	
	■ Primary lithium: LS, LST, LSX, LSH, LO, G and LM series	SB range, SPH, Sunica.plus & Ultima (SLM) series SPL serie Steel cells (SCH S, SCM S) NCX and Ultima.plus (STL.plus) series	
	Rail & mass transit:	STH and STM series	
	MRX, SRX and SRM series		

Copyright © Saft 2006 - Site made by Pictime- Legal notice



SALCOMP - POWERING THE MOBILE WORLD

Founded in 1975, Salcomp is one of the world's leading manufacturers of power supplies for mobile phones and other personal handheld devices. Our production is mostly based on high-quality switch mode technology in addition to developing and manufacturing the linear chargers. We also manufacturer chargers and power supplies for other electronic handheld devices.

Salcomp is well-known for top quality products. Our success is based on close customer service, active research and development work and efficient production, combined with highly advanced materials management and logistics.

Latest news

More releases

- ⇒ Salcomp Plc Interim Report January 1 -September 30, 2006: Strong growth continued - result was turned upwards
- ♦ Stock Exchange Announcement: Invitation
 to Salcomp's Interim Report Briefing
- ⇒ Stock Exchange Announcement: Salcomp's Annual Report Financial Information in 2007
- Stock Exchange Release Markku Hangasjärvi appointed new President and CEO of Salcomp Plc

2005 (pdf)



Salcomp News 1/2006 (pdf)




Interim Report 1-9/2006 (pdf)

Copyright © Salcomp | All rights reserved info@salcomp.com | Powered by Visualweb

PRODUCTS

Salcomp mainly focuses on mobile phone chargers. In 2005 mobile phone and cordless phone chargers corresponded to approximately 99% of Salcomp's sales volume and net sales.

Salcomp specializes in switch-mode chargers that are technically more developed, lighter and faster than linear chargers, which form the other main product area.



CONTACT INFORMATION



- Finland
- O China
- O USA
- O Brazil
- O <u>Indía</u>

Salcomp Plc

Headquarters

R&D functions, global marketing, customer service center

Post Address

P.O.Box 95

Visiting Address

Salorankatu 10

City

24101 Salo

Country

Finland

Phone Number +358 201 875 511

Fax Number

+358 201 875 450

Email

info@salcomp.com

Regional Office

Post Address
P.O.Box 23
Visiting Address
Salorantie 1
City
98101 Kemijärvi
Country
Finland
Phone Number
+358 201 875 511
Fax Number
+358 201 875 545
Email

info@salcomp.com

Salcomp (Shenzhen) Co., Ltd.

Manufacturing facilities, R&D functions, customer service center

Visiting Address
Salcomp Road, Furong Industrial Area, Xinqiao, Shajing, Baoan District
City
Shenzhen 518125
Country
China
Phone Number
+86 755 2725 5111
Fax Number
+86 755 2725 5255
Email
info@salcomp.com

SALCOMP USA, L.L.C.

Customer service center

Visiting Address
5605 North MacArthur Blvd, 11th Floor
City
Irving, Texas 75038
Country
USA
Phone Number
+1 972 819 3807

Fax Number

+1 972 819 8238

Ema

info@salcomp.com

SALCOMP LTDA

Customer service center

Visiting Address

Rua Pedroso Alvarenga No. 900 Cj. 112 11th Floor

City

CEP 04531-003 São Paulo

Country

Brazil

Phone Number

+55 11 3167 0250

Fax Number

+55 11 3167 2199

Email

info@salcomp.com

SALCOMP INDUSTRIAL ELETRÔNICA DA AMAZÔNIA LTDA

Manufacturing facilities, customer service center

Visiting Address

Avenida dos Oitis, 4.145, Distrito Industrial

City

69075-842 Manaus, Amazonas

Country

Brazil

Phone Number

+55 92 2127 2600

Fax Number

+55 92 2127 2690

Email

info@salcomp.com

Salcomp Manufacturing India Pvt Ltd

Visiting Address

No. 36, 2nd Floor, Anna Salai, Saidapet

City

Chennai - 600 015

Country
India
Phone Number
+91 44 450 50 450
Email
info@salcomp.com

Contact Us

11/6/2006

Investors



About Salton

Brands

Store

Contact

Company Overview 🔲

Company Facts
Executive Bios
Vision
Careers

Welcome to Salton!

We are a leading domestic designer, marketer and distributor of a broad range of branded, high quality small appliances under such well-recognized brand names as Salton®, George Foreman™,
Toastmaster®, Breadman®, Juiceman®, Juicelady®, Westinghouse®,
Farberware®, Melitta®, Russell Hobbs®, Tower®, and Haden®. We have the leading domestic market share in indoor grills, toasters, juice extractors, bread makers, griddles, waffle makers and buffet ranges/hotplates and a significant market share in other product categories.

Salton Media Login



Melitta: One:One





IMPORTANT
Recall Notice for
Timex Outdoor
Timers (Model No.

We also design and market tabletop products, time products, lighting products and personal care and wellness products under such brand names as Block China®, Atlantis® Crystal, Sasaki®, Calvin Klein®, Timex®, Ingraham®, Timex®, Westclox®, Big Ben®, Spartus®, Stiffel®, Ultrasonex™, Relaxor®, Carmen®, Hi-Tech®, Mountain Breeze®, Salton® and Pifco®. We believe that our strong market position results from our well-known brand names, the breadth, quality and innovation of our product offerings, our strong relationships with retailers and our outsourcing strategy. We market and sell our products globally through an internal sales force and a network of independent commissioned sales representatives.

Corporate Governance

DOCUMENTS



Introducing the "Connected Home" product line by Salton, Inc.

Find out more

The Beyond™ line of smart devices include a broad spectrum of products leveraging home networking for increased convenience.



About Salton Brands

Investors

Store

Contact

Atlantis Beyond **Block Crystal & China** Breadman Carmen **Farberware George Foreman** Haden Ingraham Juicelady

Juiceman Maxim Melitta Nutritionist Pifco 🗔

Rejuvenique Relaxor Russell Hobbs

Santa Fe

Sasaki Stiffel

Toastmaster Ultrasonex

Westclox

PIFCO

The Pifco brand has been established for over 100 years and has become a strong premium brand in the lighting, travel, airtreatment and battery markets with a reputation for quality and innovation.

The lighting range is made up of Christmas lights, Torches and Lanterns. The high quality of the Christmas lights is re-inforced by the fact that Pifco is the only brand in the UK market to offer a 2 year guarantee on all its Christmas lights. Pifco leads the market in the development of innovative torches and lanterns, with ranges such as the new Evo range. The Evo range of torches uses the latest LED technology to give the consumer major benefits over other torches in the market.

The travel range of products offers more features than other products in the market at similar prices. In addition to this the complete range benefits from a very strong travel promotion in collaboration with one of the largest travel operators in the UK.

The fan range is being constantly developed to offer retailers the opportunity to trade consumers up from the standard white fans to products that offer more lifestyle benefits to consumers, such as the new airblaster range.

Pifco offer a full range of batteries under the Pifco brand and also supply own label brands.



Rechargeable Swivel Head Lantern



World Travel Steam Iron



About Salton

Brands

Investors

Store

Contact

Corporate Office 🖫

Salton has moved...

Contact Salton

Retail Centers

Our old address was:

Visit Salton Europe

550 Business Center Drive

Mt. Prospect, IL 60056

Featured Brand

Our new address is:

1955 West Field Ct.

Beyond iCEBOX Flipscreen

To learn more about some of the other exciting brand names Salton has to offer, take a peek at our Brands section.

Lake Forest, IL 60045

Copyright © 2001-2003 Salton Inc.



Want to find out more about purchasing Salton products online and offline? See our Retail Centers for more information.

EERE-2006-DET-0136 COMMENT 07

SIMSUNG

PRODUCTS SUPPORT FEATURES PRESS CENTER ABOUT SAMSUNG

Select Country / Region

▼ PRODUCT REGISTRATION
▼ CART
▼ COMMUNITY
▼ SEARCH

What's New

SAMSUNG Introduces 20" LED BLU Monitor That Features Up... SAMSUNG Launches the 'Mini MP3 phone'... S-LCD Prepares for New Growth Surge from 8th generation LCD ... SAMSUNG Electronics Develops 16-Chip Multi-Stack Package Tec... more ·

- Investor Relations
- Business Partners
- Careers

Affiliated Companies

SAMSUNG is proud to be affiliated with these great companies and partners.

more 🔊

PRIVACY | LEGAL | SITEMAP | CONTACT US 1995 - 2006 SAMSUNG, All Rights Reserved

EERE-2006-DET-0136 COMMENT 07

, Your Shopping Cart

Shop Accessories

Contact Us

Service Locations

Which phone do I have?
Find it and accessories



Home

Shopping Cart

Accessories select model



Accessories for SCH-A870

Enlarge Image

Standard Battery

A Add to Cart



Samsung uses the latest Lithium Ion Battery technology giving you the best performance possible compared to other battery technologies.

Product ID: AB553446GZBSTD

Price: \$39.99

Enlarge Image

Extended Battery Cover

Add to Cart



Replacement Battery Cover for your Samsung Wireless Phone

Product ID: AACA870FSZBSTD

Price: \$9.99

Enlarge Image

Car Power Charger

Add to Cart



The Car Power Charger gives you the charging performance needed while traveling in your vehicle.

Product ID: CAD300VBEB/STD

Price: \$19.99

Enlarge Image

Travel Charger

t Addito Carl



The Travel Charger is small enough to fit in a briefcase when traveling, but is also convenient enough to be used as a secondary charger at home or in the office.

Product ID: TAD137VSEB/STD

Price: \$19.99

Enlarge Image

Battery Charger Case

Add to Carl



Connecting the Battery Charger Cradle and Travel Charger together is an effortless way to charge a single battery.

Product ID: BCH527BBEB/STD

Price: \$19.99



PRODUCTS SUPPORT FEATURES

PRESS CENTER

ABOUT SAMSUNG

Select Country / Region 🐷

ABOUT SAMSUNG

PRODUCT REGISTRATION (CART (COMMUNITY - SEARCH



SAMSUNG GROUP

Home > About SAMSUNG > SAMSUNG GROUP > Global Networks

Values & Philosophy

Timeline & History

Chairman

Annual Report

Social Responsibilities

Affiliated Companies

Global Networks

Electronics Industries

Machinery & Heavy Ind.

Chemical Industries

Financial Services

Other Affiliated Companies


Corporate Identity





Electronics Industries

Global Networks



select region select region Coming Co., Ltd SDS Co., Ltd select region select region Samsung Networks select region

HOME Chinese



i Abou

SANKE(GROUP)ENTERPRISE IS PROFESSIONAL IN THE FIELD OF POWER SUPPLY & ELECTRICAL INSTR UMENT.



() Products

WELCOME TO PRODUCTS
WE ARE THAT SPECIALITIES
PRODUCE THE ENTERPRISE
OF THE POWER.....




(VIDEO

welcome TO VIDEO
PLEASE MATCHING...

BUIDE LINE OF QUALITY

Sako group enterprise is a private owned enterprise and was established in 1993, . The original factory building was located in the Liushi City of Wenzhou in China. Owing to being too busy to make proper response to the numerous orders, and the premise that the factory building and the facilities needed the expansion, the company was moved to the Yueqing Central Industrial Park in 2004. We commit ourselves to the R&D and manufacture of the power supply and electrical testing equipment. Our annual business volume continues growing steadily, and our goal is to strive for the greatest competitive superiority.



REGUMMENDATION PRODUCTS

UPS

SVC Stabilizer

TNS Stabilizer

MVR Stabilizer

Voltage Regulator

Voltage Regulator 2

SVR Stabilizer

SMR Stabilizer

Frige Protector

Switching Power supply

Battery Charger 2

DC Power supply

Regulator

Oscilloscope


Curve tracer

Power Inverter


SITE MAP | LINKS | CONTACT

Copy right @ SANKE GROUP. TEL:86-577-62666005 62666006 FAX:86-577-62666009

E-mail:sako@sako.com.cn | Powered by eshion media










Frige Protector

Switching Power supply



Battery Charger 2



DC Power supply



Regulator



Oscilloscope



Curve tracer



Current tesler



AC Millivoltmeter





Battery Charger





Wall Switch



Power Inverter

EPS series

solar Charge Controller

Energy Saving Device







Solar Panels

AC Contactors


Electronic_Energy_Meter

Site Map | Links | Contact us

Copy right © SANKE GROUP. TEL:86-577-62666005 62666006 FAX:86-577-62666009

E-mail:sako@sako.com.cn |

Powered by eshion media .



Possessing the competitive manufacture capacity, and conforming to all kinds of demands of the customers.

© Creating the high quality working environment, enabling the staff to be at the most appropriate position, and achieving the company's target.

Future Perspective

- To be the excellent competitor of the power supply.
- © Seeking for the growth on quantity and the promotion on quality.
- © Heightening the occupation rate in the market with differential products of new concepts.

Quality Policy

- O Corresponding to the customer's expectation.
- O Precaution is prior to examination.
- © Everlastingly pursuing for the prominence.

Sako group enterprise achieved ISO9001 certification and have put the worldwide process and quality standard into practice for consistent quality performance. Our dedicated engineers and testing facilities review processes at every step, looking for ways to increase the quality and reliability of our products. Customer Satisfaction:

Sako group enterprise put people first. We spend time learning the requirements our customers have, well before we apply the latest technology to meet their needs. After receiving our products, our experienced technical supports staffs will be more than happy to assist our customers by all means. It's this reputation for service and support that contributes to the high degree of trust between Sako group enterprise and our customers. We hope to continue to improve our service and support even further, making every customer

feel like a part of Sako group enterprise

ZHEJIANG SANKE ELECTRICAL CO.,LTD.

SANKE INDUSTRIAL PARK, CENTRAL INDUSTRIAL AREA, YUEQING, ZHEJIANG, CHINA.

Tel:86 577 62666005 , 62666006 Fax:86 577 62666009

Email:sako@sako.com.cn

Main products: STABILIZER, INVERTER, BATTERY CHARGER

SHENZHEN GOLDEN SANKE ELECTRIC CO., LTD.

BUILDING C, HANGCHENG INDUSTRIAL PARK, QIAN JIN ER ROAD, HUANGGANG LING, XIXIANG, BAO

AN, SHENZHEN, CHINA.

TEL:86 0755 61173288 FAX: 86 0755 61173055

E-MAIL: szsako@sako.com.cn

Main products: UPS, INVERTER

HANGZHOU SANKE ELECTRICAL CO., LTD.

BUILDING 18-1,LI JIA QIAO INDUSTRIAL ZONE, NO.525, DENG YUN ROAD,HANGZHOU,CHINA.

TEL: 86 0571 88183731 FAX:86 0571 88183317

E-MAIL: hz@sako.com.cn

Main products: OSCILLOSCOPE, DC POWER SUPPLY, SWITCHING POWER

SHANGHAISAKO ELECTRICALCO.,LTD

XIHHUA ROAD NO.70 OLD HUMIN RODA NO.160 SHANGHAI, CHINA

TEL:86 021-64755667

FAX: 86 021-64756675


Mail:shsako@sako.com.cn

ATOP

Site Map | Links | Contact us

Copy right © SANKE GROUP. TEL:86-577-62666005 62666006 FAX:86-577-62666009

E-mail:sako@sako.com.cn | Powered by eshion media .



Last update: 10/03/2006



[08/22/2006]	Update of Annual Report in INVESTOR RELATIONS
[07/24/2006]	Update of Financial Report in INVESTOR RELATIONS
[06/05/2006]	Step-Down Switching Regulator IC "SI-8000HFE Series" With 5.5 A output current. Step-Down circuit configurable only by four external components.
[06/05/2006]	Notice of Revision of Estimated Year-End Dividends for the Fiscal Year Ended March 2005 (the 89th Fiscal Period) and Payment of Commemorative Dividends
[06/05/2006]	Notice of Amendment to Articles of Incorporation
[06/05/2006]	Notice of the Abolition of the Directors' Retirement Benefit Program

sitemap

Copyright 2006 SANKEN ELECTRIC CO.,LTD.

Japanese



HOME > Products Lineup > Switching Power Supplies

Switching Power Supplies HOME

Reference

Sanken Switching Power Supply The Market Leader in the Switching Power Supply Industry Sanken Switching Power Supply - Maintaining the State-of-the-Art Technology

| Applications | Lineup |

Switching power supplies convert AC or DC power to the DC voltages, required by the equipment, SMPS's are widely used in electronic equipment such as computers, office equipment and communications equipment. With our unique current resonant-mode circuit, and integrated semiconductor and power device technology, we have earned an outstanding reputation with products such as Sanken's resonant-mode power ICs, among many makers of communications, office and factory automation systems.

We are also the leading supplier of customized switching power supplies to the data communications and office equipment market, in addition to the general-purpose SMPS's introduced here.

[Applications]

Computers All types of computers including mainframes, servers, workstations, and PCs Peripheral equipment such as storage devices, displays, printers, ATMs, and POSes	£	9113444666 1919 29966 99869999	***************************************		annonneg
	***************************************			All types of computers including mainframes, servers, workstations, and PCs	deconociono
	250000000000000000000000000000000000000		Peripheral equipment such as storage devices, displays, printers, ATMs, and POSes	- Contraction	

	Communication equipment	Wired communication equipment such as electronic exchanges, transmission equipment, and household-communication equipment				
		Wireless communication equipment such as mobile-communication equipment and transmission equipment				
		Communication-related equipment such as broadcasting equipment and telemetric equipment				
Industrial	Control equipment	Factory-automation controllers, robots, NC devices, current controllers, semiconductor-manufacturing systems, photographic developing equipment				
equipment	Measuring equipment	Analyzers, oscilloscopes and semiconductor testers				
	Medical equipment	CTs, MRIs, ultra-sound diagnostic equipment, blood analyzers, electro-cardiographs				
	Others	LED displays, automotive devices, testing equipment and other devices				
	Office equipment	Word processors, copiers, facsimiles				
Home	AV equipment	TVs, videos				
		Game consoles, karaoke and other amusement devices				
		Digital audio, CD and DVD players, electronic musical instruments				
	Others	Power adapters, home appliances, etc.				

[Lineup]

General-Purpose switching power supplies

Unit power supplies

Output	Input voltage(VAC)	Series	Output power(W)	Output voltage(VDC)				
Output	Triput voitage(VAC)			5	12	15	24	
000000000000000000000000000000000000000	100	CSJ	10, 15	•	•	•	0	
	100	СЅИ	25, 50, 100, 150	•	•	•	•	
	100	SSG	5, 10, 15, 30, 50, 100, 150	•	•	•	•	

Single output	100	SSH	25, 50, 100	•	•	_	•
	100, Wide-range input/input switching	SLS	5, 60, 100, 150	•	-	-	•
	Wide-range input/continuous input mode	SWA	15, 30, 50, 100, 150	•	•	•	•
	Wide-range input/continuous input mode	HWA	50, 100, 150, 300, 600	•	•	•	•
Multiple output	100	SLM	12, 15, 30	Refer to the individual specification			ifications

🗻 Top of Page

Site Map

Copyright 2006 SANKEN ELECTRIC CO.,LTD.

Japanese

EERE-2006-DET-0136 COMMENT 07



<u>HOME</u> > Corporate Profile > Business Office

Headquarters

3-6-3 Kitano, Niiza-shi, Saitama-ken 352-8666, Japan



Headquarters



Technical Center



Sanken Plaza < Training Center >

Kawagoe Plant

677 Shimoakasaka-Ohnohara, Kawagoe-shi, Saitama-ken 350-1155, Japan Phone:+81-49-266-8111



Kawagoe Plant

Niiza Plant

1-13-19 Nakano, Niiza-shi, Saitama-ken 352-0005, Japan Phone:+81-48-478-2230

Tokyo Office

Metropolitan Plaza Bldg. 1-11-1 Nishi-Ikebukuro, Toshima-ku, Tokyo 171-0021, Japan Phone:+81-3-3986-6151

Osaka Branch

Umeda Dai-ichi Bldg. 2-12-7 Sonezaki, Kita-ku, Osaka-shi, Osaka 530-0057, Japan Phone:+81-6-6312-8712

Sapporo Sales Office

Sapporo MID Bldg. 3-9-2 Higashi, Minami 1-jo, Chuo-ku, Sapporo-shi, Hokkaido 060-0051, Japan Phone:+81-11-210-0855

Sendai Sales Office

Tohoku Oji Fudosan Bldg. 1-6-18 Kokubun-cho, Aoba-ku, Sendai-shi, Miyagi-ken 980-0803, Japan Phone:+81-22-263-4168

Nagoya Sales Office

Meieki Bldg. 4-26-22 Meieki, Nakamura-ku, Nagoya-shi, Aichi-ken 450-0002, Japan Phone:+81-52-581-2767

Kanazawa Sales Office

Kita-Yasue Messe Yasuda Bldg. 3-6-6 Kita-Yasue, Kanazawa-shi, Ishikawa-ken 920-0022, Japan Phone:+81-76-223-2010

Hiroshima Sales Office


Hiroshima Sankei Bldg. 5-16 Teppo-cho, Naka-ku, Hiroshima-shi, Hiroshima-ken 730-0017, Japan Phone:+81-82-227-3031

Kyusyu Sales Office


Fukuoka Center Bldg. 2-2-1 Hakataekimae, Hakata-ku, Fukuoka-shi, Fukuoka-ken 812-0011, Japan Phone:+81-92-411-5871

Site Map

Copyright 2006 SANKEN ELECTRIC CO.,LTD.



Copyright © 2004 Shanghai Sanki Electronic Industries Co., LTD




M SANKI POWER SUPPLY SERIES

- On Board Type Mini-Switching Power Supply Module Single Output 2.5W 5W Series
- On Board Type Mini-Switching Power Supply Module Double Output 2.5W 5W Series
- On Board Type Mini-Switching Power Supply Module Three Output 5W 10W Series
- On Board Type Mini-Switching Power Supply Module Single Output 10W Super-Thin Series
- On Board Type Mini-Switching Power Supply Module Double Output 10W 15W Series
- On Board Type Mini-Switching Power Supply Module Four Output 10W Series
- On Board Type Mini-Switching Power Supply Module Single Output 15W 20W Series
- On Board Type High-Performance Mini-Switching Power Supply Module Single Output 5W Series
- On Board Type Mini-Switching Power Supply Module for Ammeter Five Output 2.5W Series
- Unit Type Switching Power Supply Series
- DC Isolation Mini Power Supply Module (DC-DC) 1--2W Series
- DC Isolation Mini Power Supply Module (DC-DC) 3--10W Series
- Lightning Surge Absorber LSA Series
- Fast Transient Suppresser FTS

APC POWER SUPPLY SERIES

- APC Depuration Power Supply (1kVA~150kVA)
- APC Switching-Frequency Power Supply and UPS Series

Copyright © 2004 Shanghai Sanki Electronic Industries Co., LTD All rights reserved



Shanghai Sanki Electronic Industries Co., LTD, founded in Jan. 1992, is a Sino-Japanese Joint Venture Enterprise invested by Shanghai Electrical Apparatus Research Institute and Japan Sanki Industrial Co., LTD.

Shanghai Sanki Electronic Industries Co., LTD company's main business are aims at developing •producing and selling Electromagnetic Compatibility (EMC) Test Equipment and switching power supplier.

During more than ten years, Shanghai Sanki has engaged in popularization and promotion of EMC technology. Our products fill the blank in EMC field of China. On account of high-quality and low-price, it is affordable for more Chinese enterprise to use these equipment. Our equipment are working efficiently to improve the electromagnetic compatibility of their electrical products.

Through the developing during these years, Shanghai Sanki has been in the top position of domestic EMC equipment supplier. In China, many famous institutes, testing organizations and colleges, especially a number of manufactories of electrical products, have become our users and kept a close relationship for cooperation with us. The equipment we are providing to them include these following: Electrostatic Discharge Simulator (ESD), Electrical Fast Transient Burst Generator, Lightning Surge Simulator, High-Frequency Noise Simulator, Cycle Sag Simulator, Damped Oscillatory Wave Simulator, Artificial Mains Network, Electrical Fast Transient Burst Suppressor, Multi-function Lightning Surge Absorber. In recent years, these following systems are also recommended: the Integrated System for High-Frequency Radiated Electromagnetic Field Immunity Test that base on the core of GTEM cell, the Integrated System for Conducting Inject aroused by Induction with Radio-Frequency Field Immunity Test, the Integrated System for Electromagnetic Disturbance Pre-test, the Harmonic Current Emission Pre-test System.

As another contribution to the popularization and development of EMC technology in China, Shanghai Sanki, every year, holds EMC technology seminars several times to propagandize the EMC standards and the varied solutions to EMC test. So our users' problems about EMC technology are indeed concerned.

Our engineers, as the members of National EMC Standardization Organization, attach themselves to the task drawing national EMC standards, and participate in many domestic and international professional seminars.

Since more than ten years, Shanghai Sanki has made a quiet great progress. We have achieved and received many honors and certificate including the title of "Shanghai High Technology Enterprise", ISO9002 certificate authenticated by Germany TUV Rheinland (has updated to ISO9000 of version 2000), the title of "Shanghai Excellent Enterprise". Our products won the gold medal on Shanghai Science and Technology exposition. Shanghai Sanki's turnover is increasing at an average rate of 30% — 50% each year. In order to need the demand for progress, Shanghai Sanki set up a manufactory to produce switching power supplier, and launch an extended factory in Shanghai Changzheng Industries Estate. Shanghai Sanki Electronic Industries Co., LTD is thriving and going forwards to new stage.