expenses and estimated shipments of 4,000,000 7/10-bushel cartons or equivalent of oranges and grapefruit were representative of the 2024–2025 fiscal period, and an assessment rate of \$0.04 should cover expenditures and add funds to the financial reserve. Consequently, the other alternatives were rejected.

A review of historical and preliminary information pertaining to the 2024–2025 fiscal period indicates the average producer price for Texas oranges and grapefruit for the 2024–2025 season should be approximately \$14.15 per 7/10-bushel carton or equivalent. Therefore, utilizing the recommended assessment rate of \$0.04 per 7/10-bushel carton or equivalent, assessment revenue for the 2024 fiscal period as a percentage of total producer revenue should be approximately 0.3 percent (\$0.04 divided by \$14.15 times 100).

This final rule increases the assessment obligation imposed on Texas orange and grapefruit handlers.
Assessments are applied uniformly on all handlers, and some of the costs may be passed on to producers. However, these costs are expected to be offset by the benefits derived by the operation of the Order.

The Committee's meetings are widely publicized throughout the Texas citrus industry and all interested persons are invited to attend the meetings and participate in Committee deliberations on all issues. Like all Committee meetings, the June 18, 2024, meeting was a public meeting and all entities, both large and small, were able to express views on this issue. Finally, interested persons were invited to submit comments on this rule, including the regulatory and information collection impacts of this action on small businesses.

In accordance with the Paperwork Reduction Act of 1995 (44 U.S.C. chapter 35), the Order's information collection requirements have been previously approved by OMB and assigned OMB No. 0581–0189, Fruit Crops. No changes in those requirements would be necessary because of this final rule. Should any changes become necessary, they would be submitted to OMB for approval.

This rule imposes no additional reporting or recordkeeping requirements on either small or large Texas citrus handlers. As with all Federal marketing order programs, reports and forms are periodically reviewed to reduce information requirements and duplication by industry and public sector agencies.

AMS is committed to complying with the E-Government Act, to promote the use of the internet and other information technologies to provide increased opportunities for citizen access to Government information and services, and for other purposes.

AMS has not identified any relevant Federal rules that duplicate, overlap, or conflict with this rule.

A proposed rule concerning this action was published in the Federal Register on January 15, 2025 (90 FR 3720). Copies of the proposed rule were also mailed or sent via email to all Texas citrus handlers. The proposal was also made available through the internet by USDA and the Office of the Federal Register via https:// www.regulations.gov. A 30-day comment period ending February 14, 2025, was provided for interested persons to respond to the proposal. AMS received one comment supporting the proposed change. Accordingly, AMS made no changes to the rule based on the comment received, as proposed.

A small business guide on complying with fruit, vegetable, and specialty crop marketing agreements and orders may be viewed at: http://www.ams.usda.gov/rules-regulations/moa/small-businesses. Any questions about the compliance guide should be sent to Antoinette Carter at the previously mentioned address in the FOR FURTHER INFORMATION CONTACT section.

After consideration of all relevant material presented, including the information and recommendations submitted by the Committee and other available information, AMS has determined that this rulemaking is consistent with and will effectuate the purposes of the Act.

List of Subjects in 7 CFR Part 906

Grapefruit, Marketing agreements, Oranges, Reporting and recordkeeping requirements.

For the reasons set forth in the preamble, the Agricultural Marketing Service amends 7 CFR part 906 as follows:

PART 906—ORANGES AND GRAPEFRUIT GROWN IN LOWER RIO GRANDE VALLEY IN TEXAS

- 1. The authority citation for 7 CFR part 906 continues to read as follows:
 - Authority: 7 U.S.C. 601-674.
- 2. Section 906.235 is revised to read as follows:

§ 906.235 Assessment rate.

On and after August 1, 2024, an assessment rate of \$0.04 per 7/10-bushel carton or equivalent is established for

oranges and grapefruit grown in the Lower Rio Grande Valley in Texas.

Erin Morris,

Administrator, Agricultural Marketing Service.

[FR Doc. 2025–16409 Filed 8–26–25; 8:45 am] **BILLING CODE P**

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. FAA-2024-2442; Special Conditions No. 25-880-SC]

Special Conditions: Gulfstream Aerospace Corporation, Model GVII– G400 Airplane; Automatic Speed Protection for Design Dive Speed (Dive Speed Definition)

AGENCY: Federal Aviation Administration (FAA), DOT. **ACTION:** Final special conditions.

SUMMARY: These special conditions are issued for the Gulfstream Aerospace Corporation (Gulfstream) Model GVII-G400 airplane. This airplane will have a novel or unusual design feature when compared to the state of technology envisioned in the airworthiness standards for transport category airplanes. This design feature is a highspeed protection system. The applicable airworthiness regulations do not contain adequate or appropriate safety standards for this design feature. These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

DATES: Effective September 26, 2025.

FOR FURTHER INFORMATION CONTACT:

Todd Martin, Technical Policy Branch, Policy and Standards Division, Aircraft Certification Service, AIR–622, Federal Aviation Administration, 2200 South 216th Street, Des Moines, WA 98198; telephone (206) 231–3210; email todd.martin@faa.gov.

SUPPLEMENTARY INFORMATION:

Background

On June 30, 2020, Gulfstream applied for an amendment to Type Certificate No. T00021AT to include the new Model GVII–G400 airplane. The Gulfstream Model GVII–G400 airplane, which is a derivative of the Model GVII–G500 airplane currently approved under Type Certificate No. T00021AT, is a twin-engine, transport-category, business jet, with a maximum seating

for 19 passengers, and a maximum takeoff weight of 73,500 pounds.

Type Certification Basis

Under the provisions of 14 CFR 21.101, Gulfstream must show that the Model GVII–G400 airplane meets the applicable provisions of the regulations listed in Type Certificate No. T00021AT, or the applicable regulations in effect on the date of application for the change, except for earlier amendments as agreed upon by the FAA.

If the Administrator finds that the applicable airworthiness regulations (e.g.,14 CFR part 25) do not contain adequate or appropriate safety standards for the Gulfstream Model GVII–G400 airplane because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended later to include any other model that incorporates the same novel or unusual design feature, or should any other model already included on the same type certificate be modified to incorporate the same novel or unusual design feature, these special conditions would also apply to the other model under § 21.101.

In addition to the applicable airworthiness regulations and special conditions, the Gulfstream Model GVII—G400 airplane must comply with the exhaust-emission requirements of 14 CFR part 34, and the noise-certification requirements of 14 CFR part 36.

The FAA issues special conditions, as defined in 14 CFR 11.19, in accordance with § 11.38, and they become part of the type certification basis under § 21.101.

Novel or Unusual Design Features

The Gulfstream Model GVII–G400 airplane will incorporate the following novel or unusual design feature:

The GVII–G400 is equipped with a high-speed protection system that limits nose down pilot authority at speeds above V_C/M_C and prevents the airplane from actually performing the maneuver required under § 25.335(b)(1). Gulfstream proposes to reduce the margin between V_C and V_D required by § 25.335(b) based on the incorporation of this high-speed protection system in the Gulfstream GVII–G400 flight control laws.

Discussion

Section 25.335(b)(1) is an analytical envelope condition which was

originally adopted in part 4b of the Civil Air Regulations in order to provide an acceptable speed margin between design cruise speed and design dive speed. Flutter clearance design speeds and airframe design loads are impacted by the design dive speed. While the initial condition for the upset specified in the rule is 1g level flight, protection is afforded for other inadvertent overspeed conditions as well. Section 25.335(b)(1) is intended as a conservative enveloping condition for potential overspeed conditions, including non-symmetric ones. To establish that potential overspeed conditions are enveloped, the applicant must demonstrate that any reduced speed margin based on the high-speed protection system will not be exceeded in inadvertent or gust induced upsets resulting in initiation of the dive from non-symmetric attitudes; or that the airplane is protected by the flight control laws from getting into non-symmetric upset conditions. The applicant must conduct a demonstration that includes a comprehensive set of conditions as described below.

A special condition in lieu of § 25.335(b)(1). Section 25.335(b)(2), which also addresses the design dive speed, will be applied for separately. Advisory Circular 25.335–1A, "Design Dive Speed," dated September 29, 2000, provides an acceptable means of compliance to § 25.335(b)(2).

The special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

Discussion of Comments

The FAA issued Notice of Proposed Special Conditions No. 25–24–06–SC for the Gulfstream Model GVII–G400 airplane, which was published in the **Federal Register** on February 4, 2025 (90 FR 8912).

The FAA received a response from one individual commenter in the form of a question. The comment was outside the scope of these special conditions.

Applicability

As discussed above, these special conditions are applicable to the Gulfstream Model GVII–G400 airplane. Should Gulfstream apply at a later date for a change to the type certificate to include another model incorporating the same novel or unusual design feature, these special conditions would apply to that model as well.

Conclusion

This action affects only a certain novel or unusual design feature on one

model of airplane. It is not a rule of general applicability.

List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

Authority Citation

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(f), 40113, 44701, 44702, 44704.

The Special Conditions

Accordingly, pursuant to the authority delegated to me by the Administrator, the following special conditions are issued as part of the type certification basis for the Gulfstream Model GVII–G400 airplane.

(1) In lieu of compliance with § 25.335(b)(1), if the flight control system includes functions that act automatically to initiate recovery before the end of the 20 second period specified in $\S 25.335(b)(1)$, V_D/M_D must be determined from the greater of the speeds resulting from conditions (a) and (b) below. The speed increase occurring in these maneuvers may be calculated if the analysis method and the data used are shown to be reliable. If any nonoverridable automatic feature is included in the high-speed protection system (e.g., automatic power reduction or automatic application of drag devices), normal operation of these features may be assumed in the maneuvers of (a) and (b).

(a) From an initial condition of stabilized flight at V_C/M_C, the airplane is upset so as to take up a new flight path 7.5 degrees below the initial path. Pilot pitch control application, up to full authority, is made to try to achieve and maintain this new flight path. Twenty seconds after achieving the new flight path at or above V_C/M_C or twenty seconds after reaching full control input at or above V_C/M_C, whichever occurs first, manual recovery is made at a load factor of 1.5 g (0.5 g acceleration increment), or such greater load factor that is automatically applied by the system with the pilot's pitch control neutral. Initial power setting, as specified in § 25.175(b)(1)(iv), is assumed. Pilot reduction of power and/ or use of drag devices must be delayed until recovery is initiated.

(b) From any likely level cruise speed up to $V_{\rm C}/M_{\rm C}$, with the longitudinal trim and power set to maintain stabilized level flight at this speed, the airplane is upset so as to accelerate through $V_{\rm C}/M_{\rm C}$ at a flight path 15 degrees below the initial path (or at the steepest nose down attitude that the system will permit with full pitch control input if

less than 15 degrees). The pilot's controls may be in the neutral position after reaching V_C/M_C and before recovery is initiated. Recovery may be initiated three seconds after operation of the high-speed warning device or immediately upon reaching V_C/M_C (whichever is higher) by application of a load factor of 1.5 g (0.5 g acceleration increment), or such greater load factor that is automatically applied by the system with the pilot's pitch control neutral; power may be reduced simultaneously if not already automatically reduced by the highspeed protection system. All other means of decelerating the airplane, the use of which are authorized up to the highest speed reached in the maneuver, may be used. The interval between successive pilot actions must not be less than one second.

- (2) Any failure of the high-speed protection system that would affect the speed margin determined by paragraph (1) must be improbable (occur at a rate less than 10–5 per flight hour).
- (3) Failures of the system must be annunciated to the pilots, and flight manual instructions must be provided to reduce the maximum operating speeds, V_{MO}/M_{MO} . The operating speed must be reduced to a value that maintains a speed margin between the reduced V_{MO}/M_{MO} and the lesser of V_{DF}/M_{DF} or V_{D}/M_{D} that is consistent with the margin determined from paragraph (1)(a) and § 25.335(b)(2) without the benefit of the high-speed protection system.
- (4) Master minimum equipment list (MMEL) relief for the high-speed protection system may be considered by the FAA Flight Operations Evaluation Board (FOEB) provided that the flight manual instructions indicate reduced maximum operating speeds as described in paragraph (3), and that no additional hazards are introduced with the highspeed protection system inoperative. In addition, the cockpit display of the reduced operating speeds, as well as the overspeed warning for exceeding those speeds, must be equivalent to that of the normal airplane with the high-speed protection system operative.

Issued in in Kansas City, Missouri, on August 21, 2025.

Patrick R. Mullen,

Manager, Technical Policy Branch, Policy and Standards Division, Aircraft Certification Service.

[FR Doc. 2025–16358 Filed 8–26–25; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2025-2267; Project Identifier MCAI-2025-00819-T; Amendment 39-23125; AD 2025-17-15]

RIN 2120-AA64

Airworthiness Directives; ATR—GIE Avions de Transport Régional Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final rule; request for

comments.

SUMMARY: The FAA is adopting a new airworthiness directive (AD) for certain ATR—GIE Avions de Transport Régional Model ATR42-500 and ATR72–212A airplanes. This AD was prompted by a finding that dispatch with a failed main hydraulic pump under the provisions of a certain master minimum equipment list (MMEL) item, combined with failure of the DC EMER BUS, could lead to failure of multiple system losses. This AD requires revising the existing minimum equipment list (MEL) to incorporate new provisions to ensure appropriate actions are taken when the airplane is dispatched with one inoperative main hydraulic pump. The FAA is issuing this AD to address the unsafe condition on these products.

DATES: This AD is effective September 11, 2025.

The Director of the Federal Register approved the incorporation by reference of a certain publication listed in this AD as of September 11, 2025.

The FAA must receive comments on this AD by October 14, 2025.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- Federal eRulemaking Portal: Go to regulations.gov. Follow the instructions for submitting comments.
 - *Fax:* 202–493–2251.
- *Mail:* U.S. Department of Transportation, Docket Operations, M– 30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.
- Hand Delivery: Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

AD Docket: You may examine the AD docket at regulations.gov under Docket No. FAA–2025–2267; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except

Federal holidays. The AD docket contains this final rule, the mandatory continuing airworthiness information (MCAI), any comments received, and other information. The street address for Docket Operations is listed above.

Material Incorporated by Reference:

- For European Union Aviation Safety Agency (EASA) material identified in this AD, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email ADs@easa.europa.eu. You may find this material on the EASA website at ad.easa.europa.eu.
- You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195. It is also available at *regulations.gov* under Docket No. FAA–2025–2267.

FOR FURTHER INFORMATION CONTACT: John A. Massey, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 516–228–7320; email: 9-AVS-AIR-BACO-COS@faa.gov.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA invites you to send any written data, views, or arguments about this final rule. Send your comments using a method listed under the ADDRESSES section. Include "Docket No. FAA-2025-2267; Project Identifier MCAI-2025-00819-T" at the beginning of your comments. The most helpful comments reference a specific portion of the final rule, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this final rule because of those comments.

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, to regulations.gov, including any personal information you provide. The agency will also post a report summarizing each substantive verbal contact received about this final rule.

Confidential Business Information

CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this AD contain commercial or financial information