

provisions of the “Ref. Publications” section of EASA AD 2024–0134.

(j) Terminating Action for ADs 2011–22–05 R1 and 2016–25–20

(1) Accomplishing the actions required by this AD terminates all requirements of AD 2011–22–05 R1 for Model AS355E, AS 355–F, AS 355–F1, AS355F2, AS355N, and AS355NP helicopters only.

(2) Accomplishing the actions required by this AD terminates all requirements of AD 2016–25–20 for Model AS355E, AS 355–F, AS 355–F1, AS355F2, AS355N, and AS355NP helicopters only.

(k) Alternative Methods of Compliance (AMOCs)

(1) The Manager, International Validation Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the manager of the International Validation Branch, send it to the attention of the person identified in paragraph (l) of this AD and email to: AMOC@faa.gov.

(2) Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

(l) Additional Information

For more information about this AD, contact Matthew Williams, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: (316) 946–4134; email: matthew.t.williams@faa.gov.

(m) Material Incorporated by Reference

(1) The Director of the Federal Register approved the incorporation by reference of the material listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.

(2) You must use this material as applicable to do the actions required by this AD, unless the AD specifies otherwise.

(i) European Union Aviation Safety Agency (EASA) AD 2024–0134, dated July 11, 2024.

(ii) [Reserved]

(3) For EASA material identified in this AD, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; phone: +49 221 8999 000; email: ADS@easa.europa.eu; website: easa.europa.eu. You may find the EASA material on the EASA website at ad.easa.europa.eu.

(4) You may view this material at the FAA, Office of the Regional Counsel, Southwest Region, 10101 Hillwood Parkway, Room 6N–321, Fort Worth, TX 76177. For information on the availability of this material at the FAA, call (817) 222–5110.

(5) You may view this material at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, visit www.archives.gov/federal-register/cfr/ibr-locations or email fr.inspection@nara.gov.

Issued on September 9, 2025.

Steven W. Thompson,

Acting Deputy Director, Compliance & Airworthiness Division, Aircraft Certification Service.

[FR Doc. 2025–17715 Filed 9–12–25; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA–2025–2545; Project Identifier MCAI–2024–00657–T]

RIN 2120–AA64

Airworthiness Directives; Airbus Canada Limited Partnership (Type Certificate Previously Held by C Series Aircraft Limited Partnership (CSALP); Bombardier, Inc.) Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: The FAA proposes to adopt a new airworthiness directive (AD) for certain Airbus Canada Limited Partnership Model BD–500–1A10 and BD–500–1A11 airplanes. This proposed AD was prompted by reports of certain fuel transfer float valves failing in the closed position, preventing normal fuel transfer between the center and wing fuel tanks. This proposed AD would require replacing the existing fuel transfer float valves on airplanes that are approved for extended-range twin-engine operation performance standards (ETOPS). The FAA is proposing this AD to address the unsafe condition on these products.

DATES: The FAA must receive comments on this proposed AD by October 30, 2025.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to regulations.gov. Follow the instructions for submitting comments.

- *Fax:* 202–493–2251.

- *Mail:* U.S. Department of Transportation, Docket Operations, M–30, West Building Ground Floor, Room W12–140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

AD Docket: You may examine the AD docket at regulations.gov under Docket

No. FAA–2025–2545; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the mandatory continuing airworthiness information (MCAI), any comments received, and other information. The street address for Docket Operations is listed above.

Material Incorporated by Reference:

- For Transport Canada material identified in this proposed AD, contact Transport Canada, Transport Canada National Aircraft Certification, 159 Cleopatra Drive, Nepean, Ontario K1A 0N5, Canada; telephone 888–663–3639; email TC.AirworthinessDirectives-Consignesdenavigabilite.TC@tc.gc.ca. You may find this material on the Transport Canada website at tc.canada.ca/en/aviation. It is also available at regulations.gov under Docket No. FAA–2025–2545.

- You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

FOR FURTHER INFORMATION CONTACT:

Joseph Catanzaro, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 516–228–7366; email: joseph.catanzaro@faa.gov.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA invites you to send any written relevant data, views, or arguments about this proposal. Send your comments using a method listed under the **ADDRESSES** section. Include “Docket No. FAA–2025–2545; Project Identifier MCAI–2024–00657–T” at the beginning of your comments. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this proposal because of those comments.

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, to regulations.gov, including any personal information you provide. The agency will also post a report summarizing each substantive verbal contact received about this NPRM.

Confidential Business Information

CBI is commercial or financial information that is both customarily and

actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as "PROPIN." The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this NPRM. Submissions containing CBI should be sent to Joseph Catanzaro, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 516-228-7366; email: joseph.catanzaro@faa.gov. Any commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.

Background

Transport Canada, which is the aviation authority for Canada, has issued Transport Canada AD CF-2024-37, dated November 4, 2024 (Transport Canada AD CF-2024-37) (also referred to as the MCAI), to correct an unsafe condition for certain Airbus Canada Limited Partnership Model BD-500-1A10 and BD-500-1A11 airplanes. The MCAI states that there have been several reports of fuel transfer float valves failing in the closed position, preventing normal fuel transfer between the center fuel tank and wing fuel tanks. An investigation determined that high friction of the fuel transfer float valve carbon seal prevents the fuel transfer float valve from opening. Each wing tank is equipped with one fuel transfer float valve. If one fuel transfer float valve fails closed, the crew is alerted and may manually transfer fuel to correct the resulting lateral fuel imbalance. A gravity fuel transfer system provides a back-up to the manual transfer. If both fuel transfer float valves simultaneously fail in the closed position, the crew is alerted, and fuel in the center tank becomes

unusable as it cannot be transferred to the wing tanks. The crew may need to divert to prevent fuel starvation before reaching the destination airport. Simultaneous failure of both fuel transfer float valves in the closed position is critical for ETOPS missions as fuel starvation and engine shutdown may occur before reaching a diversion airport.

The FAA is proposing this AD to address the unsafe condition on these products.

You may examine the MCAI in the AD docket at [regulations.gov](https://www.regulations.gov) under Docket No. FAA-2025-2545.

Material Incorporated by Reference Under 1 CFR Part 51

Transport Canada AD CF-2024-37 specifies procedures for replacing the existing fuel transfer float valves and O-rings on left- and right-wing with new fuel transfer float valves and O-rings and performing operational tests of the center to wing fuel transfer. Transport Canada AD CF-2024-37 also specifies that inserting a copy of Transport Canada AD CF-2024-37 into the ETOPS Configuration, Maintenance, and Procedures (CMP) or using ETOPS CMP issue 009.00 or later is an acceptable method of compliance. This material is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the ADDRESSES section.

FAA's Determination

These products have been approved by the civil aviation authority of another country and are approved for operation in the United States. Pursuant to the FAA's bilateral agreement with this State of Design Authority, that authority has notified the FAA of the unsafe condition described in the MCAI referenced above. The FAA is issuing this NPRM after determining that the unsafe condition described previously is likely to exist or develop in other products of the same type design.

Proposed AD Requirements in This NPRM

This proposed AD would require accomplishing the actions specified in

Transport Canada AD CF-2024-37 described previously, except for any differences identified as exceptions in the regulatory text of this proposed AD.

Compliance With CMP Revisions

Transport Canada AD CF-2024-37 requires operators to "operate the aeroplane accordingly" after accomplishing the optional method of compliance specified in paragraph B. of Transport Canada AD CF-2024-37. However, this proposed AD would not specifically require those actions as those actions are already required by FAA regulations. FAA regulations (14 CFR 121.374(n)) require airplanes to be operated using a system that ensures compliance with the operator's CMP document. Therefore, including a requirement in this proposed AD to operate the airplane according to the revised CMP would be redundant and unnecessary.

Explanation of Required Compliance Information

In the FAA's ongoing efforts to improve the efficiency of the AD process, the FAA developed a process to use some civil aviation authority (CAA) ADs as the primary source of information for compliance with requirements for corresponding FAA ADs. The FAA has been coordinating this process with manufacturers and CAAs. As a result, the FAA proposes to incorporate Transport Canada AD CF-2024-37 by reference in the FAA final rule. This proposed AD would, therefore, require compliance with Transport Canada AD CF-2024-37 in its entirety through that incorporation, except for any differences identified as exceptions in the regulatory text of this proposed AD. Material required by Transport Canada AD CF-2024-37 for compliance will be available at [regulations.gov](https://www.regulations.gov) under Docket No. FAA-2025-2545 after the FAA final rule is published.

Costs of Compliance

The FAA estimates that this AD, if adopted as proposed, would affect 35 airplanes of U.S. registry. The FAA estimates the following costs to comply with this proposed AD:

ESTIMATED COSTS FOR REQUIRED ACTIONS

Labor cost	Parts cost	Cost per product	Cost on U.S. operators
Up to 16 work-hours × \$85 per hour = \$1,360	(*)	Up to \$1,360	Up to \$47,600.

* The FAA has received no definitive data on which to base the cost estimates for the parts specified in this proposed AD.

The FAA has included all known costs in its cost estimate. According to the manufacturer, however, some or all of the costs of this proposed AD may be covered under warranty, thereby reducing the cost impact on affected operators.

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: General requirements. Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

The FAA determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

(1) Is not a "significant regulatory action" under Executive Order 12866,

(2) Would not affect intrastate aviation in Alaska, and

(3) Would not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new airworthiness directive:

Airbus Canada Limited Partnership (Type Certificate Previously Held by C Series Aircraft Limited Partnership (CSALP); Bombardier, Inc.): Docket No. FAA–2025–2545; Project Identifier MCAI–2024–00657–T.

(a) Comments Due Date

The FAA must receive comments on this airworthiness directive (AD) by October 30, 2025.

(b) Affected ADs

None.

(c) Applicability

This AD applies to Airbus Canada Limited Partnership (type certificate previously held by C Series Aircraft Limited Partnership (CSALP); Bombardier, Inc.) Model BD–500–1A10 and BD–500–1A11 airplanes certificated in any category, as identified in Transport Canada AD CF–2024–37, dated November 4, 2024 (Transport Canada AD CF–2024–37).

(d) Subject

Air Transport Association (ATA) of America Code 28, Fuel.

(e) Unsafe Condition

This AD was prompted by reports of certain fuel transfer float valves failing in the closed position, preventing normal fuel transfer between the center and wing fuel tanks. The FAA is issuing this AD to address the simultaneous failure of both fuel transfer float valves in the closed position during an extended-range twin-engine operation performance standards (ETOPS) flight. The unsafe condition, if not addressed, during an ETOPS flight, could lead to a forced diversion or fuel starvation and engine shutdown before reaching a diversion airport.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Requirements

Except as specified in paragraph (h) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, Transport Canada AD CF–2024–37.

(h) Exception To Transport Canada AD CF–2024–37

(1) Where Transport Canada AD CF–2024–37 refers to its effective date, this AD requires using the effective date of this AD.

(2) Where Transport Canada AD CF–2024–37 refers to hours air time, this AD requires using flight hours.

(3) Where paragraph B. of Transport Canada AD CF–2024–37 specifies "thereafter, operating the aeroplane accordingly," this AD does not require that action as that action is already required by existing FAA operating regulations (see 14 CFR 121.374 (n)).

(4) Where the material referenced in Transport Canada AD CF–2024–37 specifies discarding parts, this AD requires removing those parts from service.

(i) Additional AD Provisions

The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs):* The Manager AIR–520, Continued Operational Safety Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or responsible Flight Standards Office, as appropriate. If sending information directly to the manager of AIR–520, Continued Operational Safety Branch, send it to the attention of the person identified in paragraph (j) of this AD and email to: AMOC@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the responsible Flight Standards Office.

(2) *Contacting the Manufacturer:* For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by Manager, AIR–520, Continued Operational Safety Branch, FAA; or Transport Canada; or Airbus Canada Limited Partnership's Transport Canada Design Approval Organization (DAO). If approved by the DAO, the approval must include the Designee's authorized signature.

(j) Additional Information

For more information about this AD, contact Joseph Catanzaro, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; phone: 516–228–7366; email: joseph.catanzaro@faa.gov.

(k) Material Incorporated by Reference

(1) The Director of the Federal Register approved the incorporation by reference of the material listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.

(2) You must use this material as applicable to do the actions required by this AD, unless this AD specifies otherwise.

(i) Transport Canada AD CF–2024–37, dated November 4, 2024.

(ii) [Reserved]

(3) For Transport Canada material identified in this AD, contact Transport Canada, Transport Canada National Aircraft Certification, 159 Cleopatra Drive, Nepean, Ontario K1A 0N5, Canada; telephone 888–663–3639; email TC.AirworthinessDirectives-Consignesdenavigabilite.TC@tc.gc.ca. You may find this material on the Transport Canada website at tc.canada.ca/en/aviation.

(4) You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

(5) You may view this material at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA,

visit www.archives.gov/federal-register/cfr/ibr-locations or email fr.inspection@nara.gov.

Issued on September 10, 2025.

Peter A. White,

Deputy Director, Integrated Certificate Management Division, Aircraft Certification Service.

[FR Doc. 2025–17733 Filed 9–12–25; 8:45 am]

BILLING CODE 4910–13–P